

Number of selected congenital anomalies in the livebirths and in prenataly diagnosed cases in the Czech Republic between 1994 and 1995

(updated 15.2.2008)

**Source: The Institute of Health Information and Statistics of the
Czech Republic (UZIS CR)**

Antonin Sipek MD, PhD

**NATIONAL REGISTRY OF CONGENITAL ANOMALIES OF THE CZECH
REPUBLIC**

Cooperating centre of the ICBDSR



**International Clearinghouse for
Birth Defects Surveillance & Research**

NATIONAL REGISTRY OF CONGENITAL ANOMALIES OF THE CZECH REPUBLIC – UZIS CR

Number of selected congenital anomalies in the livebirths and in prenataly diagnosed cases in the Czech Republic between 1994 and 1995

Congenital anomalies in CZE, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | 2 | - | - | 2 | - | - | - | - | - |
| Q01 | Encephalocele | - | - | 2 | - | 2 | 4 | 4 | - | - | 8 |
| Q02 | Microcephaly | - | 2 | 2 | 8 | 12 | 4 | 8 | 4 | 2 | 18 |
| Q03 | Congenital hydrocephalus | 14 | 8 | 18 | 2 | 42 | 8 | 14 | 14 | 14 | 50 |
| Q05 | Spina bifida | 12 | 18 | 8 | 14 | 52 | 16 | 4 | 6 | 6 | 32 |
| Q11.0-2 | Anophthalmos, Microphthalmos | 2 | 2 | - | 2 | 6 | 8 | 4 | 2 | 4 | 18 |
| Q17.2 | Microtia | 2 | 2 | 2 | 2 | 8 | 2 | - | - | 2 | 4 |
| Q20.3,Q20.5 | Transposition of great vessels | 14 | 22 | 16 | 16 | 68 | 10 | 18 | 6 | 12 | 46 |
| Q21.3 | Tetralogy of Fallot | 2 | 20 | 10 | 6 | 38 | 20 | 14 | 4 | 18 | 56 |
| Q23.4 | Hypopl. left heart syndrome | 8 | 14 | 12 | 12 | 46 | 12 | 4 | 10 | 8 | 34 |
| Q25.1 | Coarctation of aorta | 26 | 26 | 18 | 22 | 92 | 32 | 22 | 18 | 26 | 98 |
| Q26.2-4 | Anom. pulm. venous connection | 6 | 2 | 8 | 10 | 26 | 8 | 8 | 12 | 12 | 40 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | 6 | 2 | - | 8 | 6 | 6 | 4 | 8 | 24 |
| Q35 | Cleft palate | 36 | 32 | 42 | 28 | 138 | 38 | 38 | 42 | 26 | 144 |
| Q36 | Cleft lip | 22 | 24 | 18 | 16 | 80 | 10 | 18 | 14 | 14 | 56 |
| Q37 | Cleft palate with Cleft lip | 58 | 36 | 22 | 26 | 142 | 50 | 40 | 38 | 22 | 150 |
| Q39 | Cong. malform. of oesophagus | 30 | 16 | 6 | 6 | 58 | 16 | 20 | 8 | 14 | 58 |
| Q41 | Cong. abs., atr., sten. of s. int. | 6 | 6 | 22 | 8 | 42 | 10 | 14 | 6 | 8 | 38 |
| Q42.0-3 | Anorectal atresia | 10 | 16 | 12 | 8 | 46 | 14 | 8 | 14 | 6 | 42 |
| Q42.8-9 | Atresia of large intestine | 4 | 4 | 4 | - | 12 | - | 6 | 4 | 2 | 12 |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | 128 | 120 | 134 | 124 | 506 | 120 | 118 | 144 | 108 | 490 |
| Q60.0-2 | Renal agenesis | 4 | 4 | 2 | 8 | 18 | 16 | 4 | 4 | 8 | 32 |
| Q60.3-6 | Renal hypoplasia | 4 | 6 | 4 | 4 | 18 | 4 | 2 | 6 | 2 | 14 |
| Q61 | Cystic kidney disease | 14 | 8 | 8 | 6 | 36 | 6 | 12 | 12 | 10 | 40 |
| Q63,Q64 | Other cong. malf. of UT | 18 | 22 | 16 | 8 | 64 | 22 | 12 | 12 | 4 | 50 |
| Q69 | Polydactyly | 104 | 94 | 96 | 52 | 346 | 78 | 78 | 86 | 64 | 306 |
| Q70 | Syndactyly | 28 | 18 | 36 | 16 | 98 | 32 | 40 | 42 | 26 | 140 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 40 | 28 | 32 | 22 | 122 | 32 | 42 | 20 | 12 | 106 |
| Q77 | Osteochondrodysplasia | - | 6 | 4 | - | 10 | - | 4 | - | 6 | 10 |
| Q78 | Other osteochondrodysplasias | - | - | 2 | 2 | 4 | - | 2 | - | - | 2 |
| Q79.0 | Cong. diaphragmatic hernia | 6 | 10 | 6 | 8 | 30 | 10 | 6 | 8 | 6 | 30 |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | 4 | 4 | - | - | - | - | - |
| Q79.2 | Omphalocele | 6 | 4 | 8 | 2 | 20 | 8 | 12 | 10 | 6 | 36 |
| Q79.3 | Gastroschisis | 8 | 2 | 4 | 4 | 18 | 6 | - | 2 | 6 | 14 |
| Q90 | Down's syndrome | 56 | 40 | 36 | 34 | 166 | 30 | 30 | 46 | 30 | 136 |
| Q91.0-3 | Edwards' syndrome | 6 | 4 | 2 | - | 12 | 4 | 4 | 2 | 8 | 18 |
| Q91.4-7 | Patau's syndrome | - | 2 | - | 4 | 6 | 2 | - | - | - | 2 |
| Q96 | Turner's syndrome | 4 | 4 | 2 | 4 | 14 | 4 | 4 | - | 6 | 14 |

Congenital anomalies in CZE, 1994 - 1995, boys, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | 2 | - | - | 2 | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | 2 | - | - | - | 2 |
| Q02 | Microcephaly | - | 2 | - | 4 | 6 | 4 | 4 | 4 | - | 12 |
| Q03 | Congenital hydrocephalus | 6 | 6 | 6 | 2 | 20 | 8 | 8 | 8 | 6 | 30 |
| Q05 | Spina bifida | 6 | 8 | 4 | 8 | 26 | 12 | 2 | - | 4 | 18 |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | 2 | 2 | 4 | - | - | 2 | 6 |
| Q17.2 | Microtia | - | - | 2 | - | 2 | 2 | - | - | 2 | 4 |
| Q20.3,Q20.5 | Transposition of great vessels | 10 | 16 | 12 | 10 | 48 | 6 | 16 | 2 | 10 | 34 |
| Q21.3 | Tetralogy of Fallot | - | 8 | 8 | - | 16 | 12 | 8 | 4 | 10 | 34 |
| Q23.4 | Hypopl. left heart syndrome | 2 | 2 | 6 | 8 | 18 | 6 | 4 | 10 | 6 | 26 |
| Q25.1 | Coarctation of aorta | 12 | 14 | 6 | 12 | 44 | 22 | 18 | 16 | 16 | 72 |
| Q26.2-4 | Anom. pulm. venous connection | 4 | - | 6 | 10 | 20 | 4 | 8 | 8 | 10 | 30 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | 4 | 2 | - | 6 | 2 | 4 | 2 | 8 | 16 |
| Q35 | Cleft palate | 20 | 14 | 24 | 16 | 74 | 28 | 14 | 18 | 6 | 66 |
| Q36 | Cleft lip | 18 | 18 | 12 | 12 | 60 | 6 | 12 | 14 | 12 | 44 |
| Q37 | Cleft palate with Cleft lip | 40 | 26 | 18 | 18 | 102 | 34 | 28 | 24 | 8 | 94 |
| Q39 | Cong. malform. of oesophagus | 22 | 10 | 2 | 2 | 36 | 10 | 16 | 4 | 10 | 40 |
| Q41 | Cong. abs., atr., sten. of s. int. | 2 | - | 12 | 4 | 18 | 4 | 10 | 2 | 2 | 18 |
| Q42.0-3 | Anorectal atresia | 4 | 6 | 10 | 6 | 26 | 6 | 6 | 6 | 4 | 22 |
| Q42.8-9 | Atresia of large intestine | 2 | - | 4 | - | 6 | - | 6 | 4 | 2 | 12 |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | 128 | 120 | 134 | 124 | 506 | 120 | 118 | 144 | 108 | 490 |
| Q60.0-2 | Renal agenesis | - | 4 | 2 | 2 | 8 | 8 | 4 | 2 | 6 | 20 |
| Q60.3-6 | Renal hypoplasia | 2 | 2 | 4 | 4 | 12 | 4 | 2 | 4 | - | 10 |
| Q61 | Cystic kidney disease | 4 | 4 | 6 | 6 | 20 | 2 | 8 | 6 | 4 | 20 |
| Q63,Q64 | Other cong. malf. of UT | 10 | 10 | 14 | 8 | 42 | 10 | 6 | 10 | - | 26 |
| Q69 | Polydactyly | 52 | 54 | 62 | 22 | 190 | 44 | 38 | 58 | 30 | 170 |
| Q70 | Syndactyly | 22 | 12 | 24 | 10 | 68 | 24 | 26 | 30 | 12 | 92 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 30 | 16 | 18 | 12 | 76 | 16 | 28 | 12 | 6 | 62 |
| Q77 | Osteochondrodysplasia | - | 6 | 2 | - | 8 | - | 2 | - | 6 | 8 |
| Q78 | Other osteochondrodysplasias | - | - | 2 | - | 2 | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | 4 | 6 | 6 | 6 | 22 | 2 | 4 | 6 | 6 | 18 |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | 2 | 2 | - | - | - | - | - |
| Q79.2 | Omphalocele | - | 2 | 8 | 2 | 12 | 4 | 6 | 4 | 4 | 18 |
| Q79.3 | Gastroschisis | 4 | 2 | 2 | 2 | 10 | - | - | - | 2 | 2 |
| Q90 | Down's syndrome | 36 | 16 | 22 | 10 | 84 | 12 | 16 | 26 | 14 | 68 |
| Q91.0-3 | Edwards' syndrome | 4 | - | 2 | - | 6 | 4 | 2 | 2 | 4 | 12 |
| Q91.4-7 | Patau's syndrome | - | - | - | 4 | 4 | 2 | - | - | - | 2 |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | - |

Number of selected congenital anomalies in the livebirths and in prenataly diagnosed cases in the Czech Republic between 1994 and 1995

Congenital anomalies in CZE, 1994 - 1995, girls, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | 2 | - | 2 | 2 | 4 | - | - | 6 |
| Q02 | Microcephaly | - | - | 2 | 4 | 6 | - | 4 | - | 2 | 6 |
| Q03 | Congenital hydrocephalus | 8 | 2 | 12 | - | 22 | - | 6 | 6 | 8 | 20 |
| Q05 | Spina bifida | 6 | 10 | 4 | 6 | 26 | 4 | 2 | 6 | 2 | 14 |
| Q11.0-2 | Anophthalmos, Microphthalmos | 2 | 2 | - | - | 4 | 4 | 4 | 2 | 2 | 12 |
| Q17.2 | Microtia | 2 | 2 | - | 2 | 6 | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | 4 | 6 | 4 | 6 | 20 | 4 | 2 | 4 | 2 | 12 |
| Q21.3 | Tetralogy of Fallot | 2 | 12 | 2 | 6 | 22 | 8 | 6 | - | 8 | 22 |
| Q23.4 | Hypopl. left heart syndrome | 6 | 12 | 6 | 4 | 28 | 6 | - | - | 2 | 8 |
| Q25.1 | Coarctation of aorta | 14 | 12 | 12 | 10 | 48 | 10 | 4 | 2 | 10 | 26 |
| Q26.2-4 | Anom. pulm. venous connection | 2 | 2 | 2 | - | 6 | 4 | - | 4 | 2 | 10 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | 2 | - | - | 2 | 4 | 2 | 2 | - | 8 |
| Q35 | Cleft palate | 16 | 18 | 18 | 12 | 64 | 10 | 24 | 24 | 20 | 78 |
| Q36 | Cleft lip | 4 | 6 | 6 | 4 | 20 | 4 | 6 | - | 2 | 12 |
| Q37 | Cleft palate with Cleft lip | 18 | 10 | 4 | 8 | 40 | 16 | 12 | 14 | 14 | 56 |
| Q39 | Cong. malform. of oesophagus | 8 | 6 | 4 | 4 | 22 | 6 | 4 | 4 | 4 | 18 |
| Q41 | Cong. abs., atr., sten. of s. int. | 4 | 6 | 10 | 4 | 24 | 6 | 4 | 4 | 6 | 20 |
| Q42.0-3 | Anorectal atresia | 6 | 10 | 2 | 2 | 20 | 8 | 2 | 8 | 2 | 20 |
| Q42.8-9 | Atresia of large intestine | 2 | 4 | - | - | 6 | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | - |
| Q60.0-2 | Renal agenesis | 4 | - | - | 6 | 10 | 8 | - | 2 | 2 | 12 |
| Q60.3-6 | Renal hypoplasia | 2 | 4 | - | - | 6 | - | - | - | 2 | 2 |
| Q61 | Cystic kidney disease | 10 | 4 | 2 | - | 16 | 4 | 4 | 6 | 6 | 20 |
| Q63,Q64 | Other cong. malf. of UT | 8 | 12 | 2 | - | 22 | 12 | 6 | 2 | 4 | 24 |
| Q69 | Polydactyly | 52 | 40 | 34 | 30 | 156 | 32 | 40 | 28 | 34 | 134 |
| Q70 | Syndactyly | 6 | 6 | 12 | 6 | 30 | 8 | 14 | 12 | 14 | 48 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 10 | 12 | 14 | 10 | 46 | 16 | 14 | 8 | 6 | 44 |
| Q77 | Osteochondrodysplasia | - | - | 2 | - | 2 | - | 2 | - | - | 2 |
| Q78 | Other osteochondrodysplasias | - | - | - | 2 | 2 | - | 2 | - | - | 2 |
| Q79.0 | Cong. diaphragmatic hernia | 2 | 4 | - | 2 | 8 | 8 | 2 | 2 | - | 12 |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | 2 | 2 | - | - | - | - | - |
| Q79.2 | Omphalocele | 6 | 2 | - | - | 8 | 4 | 6 | 6 | 2 | 18 |
| Q79.3 | Gastroschisis | 4 | - | 2 | 2 | 8 | 6 | - | 2 | 4 | 12 |
| Q90 | Down's syndrome | 20 | 24 | 14 | 24 | 82 | 18 | 14 | 20 | 16 | 68 |
| Q91.0-3 | Edwards' syndrome | 2 | 4 | - | - | 6 | - | 2 | - | 4 | 6 |
| Q91.4-7 | Patau's syndrome | - | 2 | - | - | 2 | - | - | - | - | - |
| Q96 | Turner's syndrome | 4 | 4 | 2 | 4 | 14 | 4 | 4 | - | 6 | 14 |

Congenital anomalies in Prague region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | 2 | - | - | 2 | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | 2 | - | - | - | 2 |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | - |
| Q03 | Congenital hydrocephalus | - | 2 | - | - | 2 | - | - | 4 | - | 4 |
| Q05 | Spina bifida | - | 2 | - | - | 2 | - | 2 | 2 | - | 4 |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | 2 | 2 |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | 6 | - | 2 | 8 | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | - | 2 | - | - | 2 | - | 2 | - | 4 | 6 |
| Q23.4 | Hypopl. left heart syndrome | 2 | - | 2 | - | 4 | - | - | - | - | - |
| Q25.1 | Coarctation of aorta | 2 | - | - | - | 2 | - | - | - | - | - |
| Q26.2-4 | Anom. pulm. venous connection | 2 | - | - | - | 2 | 2 | - | 2 | - | 4 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | 2 | - | 2 | 4 |
| Q35 | Cleft palate | 2 | 2 | 2 | 4 | 10 | 2 | 4 | 2 | - | 8 |
| Q36 | Cleft lip | 2 | - | 2 | - | 4 | - | 6 | - | - | 6 |
| Q37 | Cleft palate with Cleft lip | 6 | - | - | 2 | 8 | - | 8 | 4 | 4 | 16 |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | 2 | - | - | 2 | 4 |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | 4 | - | 4 | - | - | - | 2 | 2 |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | 2 | - | 2 |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | 4 | - | - | 4 |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | 8 | 8 | 10 | 8 | 34 | 8 | 16 | 14 | 10 | 48 |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | 2 | - | - | - | 2 |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | - |
| Q61 | Cystic kidney disease | 2 | - | - | 2 | 4 | - | 4 | - | - | 4 |
| Q63,Q64 | Other cong. malf. of UT | 2 | 4 | - | 4 | 10 | 2 | - | - | - | 2 |
| Q69 | Polydactyly | 8 | 4 | 10 | 4 | 26 | 8 | 8 | 10 | 8 | 34 |
| Q70 | Syndactyly | - | - | - | 2 | 2 | 2 | - | 2 | - | 4 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 6 | - | - | - | 6 | - | - | 4 | 2 | 6 |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | 4 | - | 4 | 8 | - | - | 2 | - | 2 |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | 2 | - | - | - | 2 | - | 2 | - | 2 | 4 |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | - |
| Q90 | Down's syndrome | 2 | 2 | 4 | 2 | 10 | 2 | - | 6 | - | 8 |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | - |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | - |

Congenital anomalies in Stredocesky region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | 2 | - | - | - | 2 |
| Q02 | Microcephaly | - | - | - | 2 | 2 | - | - | - | - | - |
| Q03 | Congenital hydrocephalus | 2 | - | - | - | 2 | - | 2 | 2 | - | 4 |
| Q05 | Spina bifida | 2 | 2 | - | - | 4 | 2 | - | - | - | 2 |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | 2 | - | - | - | 2 |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | 2 | 2 | - | 6 | 10 | 2 | - | - | 2 | 4 |
| Q21.3 | Tetralogy of Fallot | 2 | - | - | - | 2 | - | 2 | 2 | - | 4 |
| Q23.4 | Hypopl. left heart syndrome | - | 2 | 2 | - | 4 | 2 | - | - | 4 | 6 |
| Q25.1 | Coarctation of aorta | 2 | - | 2 | - | 4 | 2 | - | 2 | 4 | 8 |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | 2 | - | - | 2 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | 2 | - | 2 | 2 | - | - | - | 2 |
| Q35 | Cleft palate | - | 6 | 10 | - | 16 | - | 6 | 2 | 4 | 12 |
| Q36 | Cleft lip | 2 | 2 | 2 | - | 6 | - | - | 2 | 2 | 4 |
| Q37 | Cleft palate with Cleft lip | 4 | 2 | 10 | 4 | 20 | 6 | 2 | - | 6 | 14 |
| Q39 | Cong. malform. of oesophagus | 2 | 4 | 2 | 2 | 10 | - | 4 | 2 | 4 | 10 |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | 2 | - | 6 | 8 |
| Q42.0-3 | Anorectal atresia | 2 | 2 | - | - | 4 | - | - | - | 2 | 2 |
| Q42.8-9 | Atresia of large intestine | - | 2 | - | - | 2 | - | - | 2 | - | 2 |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | 20 | 22 | 6 | 8 | 56 | 10 | 12 | 22 | 8 | 52 |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | - |
| Q60.3-6 | Renal hypoplasia | - | - | - | 2 | 2 | - | - | - | - | - |
| Q61 | Cystic kidney disease | 2 | - | 2 | - | 4 | - | - | - | - | - |
| Q63,Q64 | Other cong. malf. of UT | 4 | - | - | - | 4 | 4 | 2 | - | - | 6 |
| Q69 | Polydactyly | 16 | 18 | 8 | 6 | 48 | 14 | 2 | 24 | 6 | 46 |
| Q70 | Syndactyly | - | - | 2 | - | 2 | 2 | - | 2 | 2 | 6 |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | 4 | 4 | 8 | 6 | 4 | 2 | 2 | 14 |
| Q77 | Osteochondrodysplasia | - | - | 2 | - | 2 | - | - | - | 4 | 4 |
| Q78 | Other osteochondrodysplasias | - | - | 2 | - | 2 | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | - | 2 | - | 2 | 2 | - | 2 | 2 | 6 |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | - |
| Q79.3 | Gastroschisis | - | - | - | 2 | 2 | - | - | - | - | - |
| Q90 | Down's syndrome | 6 | 4 | 2 | 2 | 14 | - | 2 | 6 | 4 | 12 |
| Q91.0-3 | Edwards' syndrome | - | - | 2 | - | 2 | - | - | - | - | - |
| Q91.4-7 | Patau's syndrome | - | - | - | 2 | 2 | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | - |

Congenital anomalies in Jihocesky region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | 2 | - | 2 | |
| Q03 | Congenital hydrocephalus | 2 | - | - | - | 2 | 4 | - | - | 4 | |
| Q05 | Spina bifida | - | 2 | - | - | 2 | - | - | - | - | |
| Q11.0-2 | Anophtalmos, Microphthalmos | - | - | - | - | - | - | - | 2 | 2 | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | 2 | 4 | 2 | - | 8 | - | - | - | - | |
| Q21.3 | Tetralogy of Fallot | - | 4 | 2 | - | 6 | 2 | - | - | 4 | |
| Q23.4 | Hypopl. left heart syndrome | - | 2 | - | - | 2 | 2 | - | - | 2 | |
| Q25.1 | Coarctation of aorta | 4 | - | 2 | - | 6 | 4 | - | - | 4 | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | 2 | - | 2 | - | - | - | - | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | 2 | 2 | |
| Q35 | Cleft palate | 2 | 4 | - | 4 | 10 | 2 | 4 | - | 6 | |
| Q36 | Cleft lip | - | 2 | 4 | - | 6 | 2 | - | - | 2 | |
| Q37 | Cleft palate with Cleft lip | 2 | 4 | - | 4 | 10 | - | 4 | 2 | 6 | |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | 2 | - | - | 2 | - | - | - | - | |
| Q42.0-3 | Anorectal atresia | 2 | - | - | 4 | 6 | 2 | 4 | - | 6 | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 12 | 10 | 2 | 4 | 28 | 10 | 14 | 8 | 34 | |
| Q60.0-2 | Renal agenesis | 4 | - | 2 | - | 6 | 2 | - | - | 2 | |
| Q60.3-6 | Renal hypoplasia | 2 | 2 | - | - | 4 | - | - | - | - | |
| Q61 | Cystic kidney disease | 2 | - | - | 2 | 4 | - | - | - | - | |
| Q63,Q64 | Other cong. malf. of UT | - | 8 | - | 2 | 10 | - | - | - | - | |
| Q69 | Polydactyly | 6 | 4 | 16 | 4 | 30 | 10 | 6 | 4 | 24 | |
| Q70 | Syndactyly | 6 | 6 | 2 | 4 | 18 | 4 | - | 2 | 6 | |
| Q71,Q72,Q73 | Reduct. defects of extremities | 12 | 4 | - | - | 16 | - | - | - | 4 | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | 2 | 2 | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | 2 | - | 4 | 6 | |
| Q79.3 | Gastroschisis | - | - | - | 2 | 2 | - | - | - | - | |
| Q90 | Down's syndrome | 2 | 2 | - | 6 | 10 | 4 | 4 | - | 10 | |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | 2 | 2 | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | 2 | 2 | - | - | - | 2 | |

Congenital anomalies in Plzensky region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | - | 4 | 4 | |
| Q05 | Spina bifida | - | 2 | - | - | 2 | 2 | - | - | 2 | |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | 4 | - | 4 | 2 | 2 | - | 4 | |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | 2 | - | - | 2 | |
| Q23.4 | Hypopl. left heart syndrome | - | 2 | - | 2 | 4 | 2 | 2 | - | 4 | |
| Q25.1 | Coarctation of aorta | 2 | 4 | - | - | 6 | 2 | - | - | 2 | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | 2 | 2 | 4 | 2 | 10 | 4 | - | 2 | 6 | |
| Q36 | Cleft lip | - | - | 4 | 2 | 6 | - | 2 | - | 4 | |
| Q37 | Cleft palate with Cleft lip | 2 | 2 | 2 | 4 | 10 | 8 | 4 | - | 12 | |
| Q39 | Cong. malform. of oesophagus | - | 2 | - | - | 2 | - | - | - | - | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | 2 | 2 | - | 4 | - | 4 | |
| Q42.0-3 | Anorectal atresia | - | - | - | 2 | 2 | - | - | - | - | |
| Q42.8-9 | Atresia of large intestine | - | - | 2 | - | 2 | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 2 | 12 | 18 | 18 | 50 | 6 | 6 | 4 | 22 | |
| Q60.0-2 | Renal agenesis | - | - | - | 2 | 2 | 4 | - | - | 4 | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | |
| Q61 | Cystic kidney disease | 2 | - | - | - | 2 | - | - | 2 | 2 | |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | 2 | 2 | - | - | 2 | 2 | |
| Q69 | Polydactyly | - | 6 | 8 | 4 | 18 | 2 | 2 | - | 4 | |
| Q70 | Syndactyly | 2 | - | 10 | - | 12 | - | - | 2 | 4 | |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | 2 | 8 | - | 10 | - | 2 | - | 2 | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | 2 | - | 2 | |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | |
| Q90 | Down's syndrome | 2 | 4 | 2 | - | 8 | 4 | - | 2 | 6 | |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | |

Congenital anomalies in Karlovarsky region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | 4 | - | 2 | 6 |
| Q05 | Spina bifida | 2 | 4 | - | - | 6 | - | - | - | - | - |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | - |
| Q23.4 | Hypopl. left heart syndrome | 2 | 2 | 4 | - | 8 | - | - | - | - | - |
| Q25.1 | Coarctation of aorta | - | 2 | - | - | 2 | 2 | - | 2 | - | 4 |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | 2 | 2 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | - |
| Q35 | Cleft palate | - | - | - | 2 | 2 | - | 4 | 2 | 2 | 8 |
| Q36 | Cleft lip | 2 | - | - | - | 2 | - | - | - | - | - |
| Q37 | Cleft palate with Cleft lip | 2 | - | - | - | 2 | - | - | 2 | 2 | 4 |
| Q39 | Cong. malform. of oesophagus | 4 | - | - | - | 4 | - | 2 | - | - | 2 |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | 2 | - | 2 | - | - | - | - | - |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | 2 | - | - | 2 |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | 10 | 2 | 6 | 4 | 22 | 2 | 6 | 4 | 4 | 16 |
| Q60.0-2 | Renal agenesis | - | - | - | 2 | 2 | - | - | - | - | - |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | 2 | 2 | - | 4 |
| Q61 | Cystic kidney disease | - | 2 | 2 | 2 | 6 | - | - | 2 | - | 2 |
| Q63,Q64 | Other cong. malf. of UT | 2 | - | 2 | - | 4 | - | - | 2 | - | 2 |
| Q69 | Polydactyly | 2 | 2 | 8 | - | 12 | 4 | 4 | - | 4 | 12 |
| Q70 | Syndactyly | - | - | 4 | - | 4 | 2 | 6 | - | 2 | 10 |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | 2 | 2 | - | 4 | - | 8 | 2 | - | 10 |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | 2 | - | - | 2 |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | 2 | - | - | 2 | - | - | - | - | - |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | - |
| Q79.3 | Gastroschisis | 4 | - | - | - | 4 | - | - | - | 4 | 4 |
| Q90 | Down's syndrome | 2 | - | 6 | - | 8 | - | - | 6 | - | 6 |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | 2 | 2 |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | - |

Congenital anomalies in Ustecky region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | - |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | - |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | 2 | - | - | - | 2 |
| Q05 | Spina bifida | - | - | - | - | - | - | - | - | 2 | 2 |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | 2 | 2 |
| Q17.2 | Microtia | 2 | - | - | - | 2 | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | 2 | - | - | 2 | - | - | 2 | - | 2 |
| Q21.3 | Tetralogy of Fallot | - | - | 2 | - | 2 | 2 | - | - | 2 | 4 |
| Q23.4 | Hypopl. left heart syndrome | 2 | 2 | - | - | 4 | - | - | - | - | - |
| Q25.1 | Coarctation of aorta | 4 | 2 | 2 | 4 | 12 | 2 | 2 | 2 | 2 | 8 |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | 2 | 2 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | 2 | - | - | 2 | - | 2 | - | - | 2 |
| Q35 | Cleft palate | 4 | 4 | 6 | 4 | 18 | 6 | 4 | 4 | - | 14 |
| Q36 | Cleft lip | 2 | - | - | - | 2 | - | - | 2 | - | 2 |
| Q37 | Cleft palate with Cleft lip | - | 2 | 2 | 4 | 8 | 4 | 4 | 6 | - | 14 |
| Q39 | Cong. malform. of oesophagus | 2 | 2 | - | - | 4 | 2 | - | 2 | - | 4 |
| Q41 | Cong. abs., atr., sten. of s. int. | - | 2 | 2 | - | 4 | 2 | - | 2 | - | 4 |
| Q42.0-3 | Anorectal atresia | - | 2 | 2 | 2 | 6 | 2 | 2 | 2 | - | 6 |
| Q42.8-9 | Atresia of large intestine | 2 | 2 | - | - | 4 | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | 8 | 16 | 16 | 16 | 56 | 20 | 16 | 16 | 12 | 64 |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | - |
| Q60.3-6 | Renal hypoplasia | - | - | - | 2 | 2 | - | - | - | - | - |
| Q61 | Cystic kidney disease | 4 | 2 | - | - | 6 | - | - | - | - | - |
| Q63,Q64 | Other cong. malf. of UT | 4 | 4 | 6 | - | 14 | - | - | - | - | - |
| Q69 | Polydactyly | 12 | 8 | 10 | 6 | 36 | 4 | 4 | 8 | 14 | 30 |
| Q70 | Syndactyly | 8 | 2 | 4 | - | 14 | 4 | 6 | 6 | 2 | 18 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 4 | - | 4 | - | 8 | 8 | 2 | - | - | 10 |
| Q77 | Osteochondrodysplasia | - | 2 | - | - | 2 | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | 4 | - | - | 4 | - | 2 | - | - | 2 |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | 2 | - | 2 | 4 | - | - | 2 | 6 |
| Q79.3 | Gastroschisis | 2 | - | - | - | 2 | - | - | 2 | - | 2 |
| Q90 | Down's syndrome | 2 | 4 | 6 | 2 | 14 | 2 | - | 4 | - | 6 |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | - |
| Q91.4-7 | Patau's syndrome | - | 2 | - | - | 2 | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | - | - | 4 | - | - | - | 4 |

Congenital anomalies in Liberecky region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | 2 | - | - | 2 |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | 2 | - | - | 2 | - | 2 | - | - | 2 |
| Q05 | Spina bifida | - | 2 | 2 | 2 | 6 | - | - | - | - | - |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | 2 | - | - | 2 |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | 2 | - | 2 |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | - | - | |
| Q25.1 | Coarctation of aorta | - | - | - | 4 | 4 | - | 2 | - | - | 2 |
| Q26.2-4 | Anom. pulm. venous connection | - | 2 | - | - | 2 | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | 2 | - | - | 2 | 4 | - | 4 | 4 | - | 8 |
| Q36 | Cleft lip | 2 | - | - | - | 2 | 4 | - | - | - | 4 |
| Q37 | Cleft palate with Cleft lip | - | 2 | - | - | 2 | 6 | 4 | 4 | - | 14 |
| Q39 | Cong. malform. of oesophagus | 6 | 2 | 2 | - | 10 | - | - | 2 | - | 2 |
| Q41 | Cong. abs., atr., sten. of s. int. | - | 2 | 4 | - | 6 | - | - | - | - | - |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | 2 | - | 2 |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 6 | 6 | 8 | 10 | 30 | - | 2 | 8 | 8 | 18 |
| Q60.0-2 | Renal agenesis | - | - | - | 2 | 2 | 2 | - | - | - | 2 |
| Q60.3-6 | Renal hypoplasia | - | 2 | - | - | 2 | - | - | - | - | - |
| Q61 | Cystic kidney disease | - | - | - | - | - | - | - | 2 | - | 2 |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | - | 2 | - | - | 2 |
| Q69 | Polydactyly | - | 10 | 4 | - | 14 | 6 | 8 | 6 | 2 | 22 |
| Q70 | Syndactyly | - | - | - | 2 | 2 | - | 4 | 2 | - | 6 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 6 | 2 | 2 | 2 | 12 | - | 4 | - | 2 | 6 |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | 2 | 2 | - | - | 4 |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | |
| Q79.3 | Gastroschisis | - | - | 2 | - | 2 | - | - | - | - | |
| Q90 | Down's syndrome | 2 | - | 2 | 2 | 6 | - | - | - | 2 | 2 |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | |

Congenital anomalies in Kralovehradecky region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | 2 | - | 6 | 8 | - | 2 | - | - | 2 |
| Q03 | Congenital hydrocephalus | 2 | 2 | 2 | - | 6 | - | - | - | - | |
| Q05 | Spina bifida | 6 | - | - | - | 6 | - | - | - | 2 | 2 |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | 4 | - | - | 2 | 6 | - | - | - | - | |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | 2 | 4 | - | - | 6 |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | - | - | |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | 2 | 2 | 2 | 6 |
| Q26.2-4 | Anom. pulm. venous connection | - | - | 2 | - | 2 | - | - | 2 | 2 | 4 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | 2 | - | - | 2 | - | - | - | 2 | 2 |
| Q35 | Cleft palate | - | 2 | 2 | - | 4 | - | - | 2 | - | 2 |
| Q36 | Cleft lip | - | 4 | - | 2 | 6 | - | 2 | 2 | - | 4 |
| Q37 | Cleft palate with Cleft lip | 4 | 2 | - | - | 6 | - | 2 | 2 | 2 | 6 |
| Q39 | Cong. malform. of oesophagus | - | - | 2 | 2 | 4 | 2 | 2 | - | 2 | 6 |
| Q41 | Cong. abs., atr., sten. of s. int. | 2 | - | - | - | 2 | - | - | - | - | |
| Q42.0-3 | Anorectal atresia | - | 2 | - | - | 2 | 2 | - | 4 | - | 6 |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 6 | 4 | 8 | 14 | 32 | 14 | 6 | 2 | 2 | 24 |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | 2 | - | 2 | 2 | 6 |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | |
| Q61 | Cystic kidney disease | - | 2 | - | - | 2 | - | - | - | 4 | 4 |
| Q63,Q64 | Other cong. malf. of UT | 2 | - | - | - | 2 | - | 2 | - | - | 2 |
| Q69 | Polydactyly | 8 | 6 | 4 | - | 18 | 4 | 6 | - | 4 | 14 |
| Q70 | Syndactyly | 4 | 2 | 4 | - | 10 | 2 | 4 | - | 2 | 8 |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | 2 | - | 2 | 4 | 2 | 4 | - | - | 6 |
| Q77 | Osteochondrodysplasia | - | 2 | - | - | 2 | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | 2 | - | - | - | 2 | 2 | - | - | 2 | 4 |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | 2 | - | - | 2 | - | 6 | 2 | - | 8 |
| Q79.3 | Gastroschisis | - | 2 | - | - | 2 | - | - | - | - | |
| Q90 | Down's syndrome | 2 | 2 | - | 4 | 8 | - | 2 | 2 | - | 4 |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | - | - | - | 2 | 2 | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | 2 | 2 |

Congenital anomalies in Pardubicky region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | 2 | 2 | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | 2 | - | 2 | |
| Q05 | Spina bifida | - | - | - | - | - | - | - | - | - | |
| Q11.0-2 | Anophtalmos, Microphtalmos | 2 | - | - | - | 2 | 2 | - | - | 2 | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | |
| Q21.3 | Tetralogy of Fallot | - | - | - | 4 | 4 | - | - | - | 2 | |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | 2 | 2 | - | - | - | - | |
| Q25.1 | Coarctation of aorta | - | 2 | 2 | - | 4 | 4 | - | - | 4 | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | 2 | - | 2 | 4 | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | 2 | - | - | 2 | |
| Q35 | Cleft palate | - | - | 4 | - | 4 | - | 2 | 4 | 6 | |
| Q36 | Cleft lip | 2 | 2 | - | - | 4 | - | 2 | 4 | 6 | |
| Q37 | Cleft palate with Cleft lip | 4 | 2 | - | - | 6 | 6 | - | 2 | 8 | |
| Q39 | Cong. malform. of oesophagus | - | 2 | - | - | 2 | - | - | - | 2 | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | 2 | - | - | 2 | |
| Q42.0-3 | Anorectal atresia | - | 4 | - | - | 4 | 2 | - | - | 2 | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 2 | 4 | 10 | - | 16 | 4 | 8 | 4 | 6 | |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | 2 | - | - | 2 | |
| Q61 | Cystic kidney disease | - | - | - | - | - | - | - | - | - | |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | - | - | 2 | 2 | |
| Q69 | Polydactyly | 6 | 4 | - | 8 | 18 | 4 | 6 | 2 | 2 | |
| Q70 | Syndactyly | - | 4 | - | - | 4 | 4 | 4 | 2 | 2 | |
| Q71,Q72,Q73 | Reduct. defects of extremities | 6 | 2 | - | - | 8 | - | - | - | - | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | 2 | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | 2 | - | - | - | 2 | 2 | - | - | 2 | |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | 2 | - | 2 | - | - | - | - | |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | 2 | |
| Q90 | Down's syndrome | 2 | 2 | 2 | 4 | 10 | 2 | - | - | 2 | |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | 2 | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | 2 | - | - | 2 | - | - | - | - | |

Congenital anomalies in Vysocina region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | 2 | - | 2 | 4 |
| Q05 | Spina bifida | - | - | 2 | - | 2 | - | - | - | - | - |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | 2 | 2 | 2 | 6 | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | - | - | - | 2 | 2 | - | - | - | 2 | 2 |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | 4 | 4 | - | - | - | 2 | 2 |
| Q25.1 | Coarctation of aorta | - | 2 | - | 2 | 4 | - | 2 | 2 | - | 4 |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | 2 | 2 | - | 2 | - | - | 2 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | 2 | 2 |
| Q35 | Cleft palate | 4 | - | 2 | - | 6 | 8 | 6 | 4 | 4 | 22 |
| Q36 | Cleft lip | - | - | 2 | 4 | 6 | - | 4 | - | - | 4 |
| Q37 | Cleft palate with Cleft lip | 4 | 6 | - | - | 10 | - | - | 2 | 4 | 6 |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | 2 | 2 | - | - | 4 |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | 2 | - | - | - | 2 |
| Q42.0-3 | Anorectal atresia | - | - | 2 | - | 2 | - | - | - | 2 | 2 |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | 2 | - | - | 2 |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | 4 | 2 | 4 | 4 | 14 | 10 | 4 | 6 | 10 | 30 |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | - |
| Q60.3-6 | Renal hypoplasia | 2 | - | - | - | 2 | - | - | - | - | - |
| Q61 | Cystic kidney disease | - | - | - | - | - | 2 | - | 2 | 2 | 6 |
| Q63,Q64 | Other cong. malf. of UT | - | - | 2 | - | 2 | - | - | 2 | - | 2 |
| Q69 | Polydactyly | 12 | 4 | 4 | 4 | 24 | 4 | 6 | 6 | 2 | 18 |
| Q70 | Syndactyly | - | - | 4 | 2 | 6 | - | 8 | 2 | 2 | 12 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 2 | - | - | - | 2 | 2 | 4 | 2 | - | 8 |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | 2 | 2 |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | 2 | - | 2 | - | 4 | - | 2 | - | 2 | 4 |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | - |
| Q90 | Down's syndrome | - | 4 | - | - | 4 | - | 6 | - | 6 | 12 |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | - |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | - | - | - | 2 | - | - | 2 |

Congenital anomalies in Jihomoravsky region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | 2 | - | - | 2 |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | 2 | - | 2 | - | 4 | - | - | 2 | - | 2 |
| Q05 | Spina bifida | 2 | - | - | 2 | 4 | 2 | - | 2 | - | 4 |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | 2 | - | - | 2 | - | 2 | - | - | 2 |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | |
| Q21.3 | Tetralogy of Fallot | - | 4 | 2 | - | 6 | - | - | - | 2 | 2 |
| Q23.4 | Hypopl. left heart syndrome | - | - | 2 | 2 | 4 | - | - | - | 2 | 2 |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | 2 | 4 | - | - | 6 |
| Q26.2-4 | Anom. pulm. venous connection | 2 | - | - | 2 | 4 | - | - | 2 | - | 2 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | 2 | - | - | 2 | - | 2 | - | - | 2 |
| Q35 | Cleft palate | 2 | 2 | 2 | 6 | 12 | 2 | - | 4 | 4 | 10 |
| Q36 | Cleft lip | 6 | 2 | - | 4 | 12 | - | - | - | 2 | 2 |
| Q37 | Cleft palate with Cleft lip | 16 | 2 | 4 | 6 | 28 | - | 4 | 2 | - | 6 |
| Q39 | Cong. malform. of oesophagus | 4 | - | - | 2 | 6 | - | 6 | - | - | 6 |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | 4 | - | 4 | - | 4 | - | - | 4 |
| Q42.0-3 | Anorectal atresia | 2 | - | 2 | - | 4 | - | - | - | - | - |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | 2 | - | 2 |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 20 | 10 | 22 | 10 | 62 | 10 | 14 | 18 | 10 | 52 |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | |
| Q60.3-6 | Renal hypoplasia | - | - | 2 | - | 2 | - | - | 2 | - | 2 |
| Q61 | Cystic kidney disease | - | - | 2 | - | 2 | 2 | 4 | 4 | - | 10 |
| Q63,Q64 | Other cong. malf. of UT | 4 | 4 | 2 | - | 10 | 4 | - | 2 | - | 6 |
| Q69 | Polydactyly | 18 | 8 | 12 | 2 | 40 | 8 | 10 | 12 | 6 | 36 |
| Q70 | Syndactyly | - | - | 2 | - | 2 | - | 4 | 10 | 2 | 16 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 2 | - | 6 | 2 | 10 | 4 | 4 | - | - | 8 |
| Q77 | Osteochondrodysplasia | - | 2 | 2 | - | 4 | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | 2 | - | - | 2 |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | 2 | 2 | - | 4 |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | 2 | - | 2 | - | - | - | - | |
| Q79.3 | Gastroschisis | 2 | - | - | - | 2 | - | - | - | - | |
| Q90 | Down's syndrome | 18 | 6 | 2 | - | 26 | 4 | 2 | 4 | 2 | 12 |
| Q91.0-3 | Edwards' syndrome | 4 | 4 | - | - | 8 | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | 2 | 2 | - | - | 4 | - | 2 | - | 2 | 4 |

Congenital anomalies in Olomoucky region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | 2 | - | 2 | - | - | - | - | - |
| Q02 | Microcephaly | - | - | - | - | - | 2 | - | - | - | 2 |
| Q03 | Congenital hydrocephalus | - | 2 | 2 | 2 | 6 | 2 | 2 | - | - | 4 |
| Q05 | Spina bifida | - | - | - | 2 | 2 | 4 | 2 | - | - | 6 |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | 4 | - | - | - | 4 | - | 2 | - | - | 2 |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | - |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | - | - | - |
| Q25.1 | Coarctation of aorta | - | - | 2 | - | 2 | 2 | 2 | - | - | 4 |
| Q26.2-4 | Anom. pulm. venous connection | - | - | 2 | - | 2 | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | - |
| Q35 | Cleft palate | 4 | - | 2 | - | 6 | 2 | - | 2 | 2 | 6 |
| Q36 | Cleft lip | - | - | - | 2 | 2 | - | 2 | 2 | 2 | 6 |
| Q37 | Cleft palate with Cleft lip | 2 | 4 | 2 | 2 | 10 | - | 6 | 2 | - | 8 |
| Q39 | Cong. malform. of oesophagus | 2 | 2 | - | - | 4 | - | 2 | - | - | 2 |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | 2 | - | - | 2 |
| Q42.0-3 | Anorectal atresia | - | - | 2 | - | 2 | 2 | - | - | - | 2 |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | 2 | 8 | 12 | 2 | 24 | 4 | - | 2 | 2 | 8 |
| Q60.0-2 | Renal agenesis | - | 2 | - | - | 2 | 2 | 2 | 2 | - | 6 |
| Q60.3-6 | Renal hypoplasia | - | - | 2 | - | 2 | - | - | 2 | - | 2 |
| Q61 | Cystic kidney disease | - | - | - | - | - | 2 | 2 | - | 2 | 6 |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | 10 | 2 | - | 2 | 14 |
| Q69 | Polydactyly | 2 | - | 2 | - | 4 | 4 | 2 | 6 | 2 | 14 |
| Q70 | Syndactyly | - | - | - | - | - | 6 | 2 | 4 | - | 12 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 2 | 2 | - | 4 | 8 | 2 | 2 | - | - | 4 |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | 2 | - | - | 2 |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | - | 2 | - | 2 | - | - | - | - | - |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | - |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | - |
| Q90 | Down's syndrome | - | - | 2 | - | 2 | 4 | 6 | 4 | 2 | 16 |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | 4 | 2 | - | 2 | 8 |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | 2 | 2 | 4 | - | - | - | - | - |

Congenital anomalies in Zlinsky region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | 2 | 4 | - | - | 6 |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | - | 2 | 2 | 4 |
| Q05 | Spina bifida | - | 2 | - | 2 | 4 | - | - | - | - | - |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | 2 | - | - | - | 2 | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | - | 2 | 2 | - | 4 | 4 | 2 | - | - | 6 |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | 2 | - | - | - | 2 |
| Q25.1 | Coarctation of aorta | 4 | - | - | - | 4 | - | - | - | 2 | 2 |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | 4 | 4 | - | - | 2 | - | 2 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | - |
| Q35 | Cleft palate | 6 | 2 | 4 | - | 12 | - | - | 4 | 8 | 12 |
| Q36 | Cleft lip | - | 2 | - | - | 2 | - | - | - | 2 | 2 |
| Q37 | Cleft palate with Cleft lip | 2 | - | 2 | - | 4 | 8 | - | 4 | 2 | 14 |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | 4 | - | - | - | 4 |
| Q41 | Cong. abs., atr., sten. of s. int. | 2 | - | - | - | 2 | - | 2 | - | - | 2 |
| Q42.0-3 | Anorectal atresia | - | - | 2 | - | 2 | 2 | - | - | - | 2 |
| Q42.8-9 | Atresia of large intestine | 2 | - | - | - | 2 | - | - | - | 2 | 2 |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | 2 | 2 | 2 | 12 | 18 | 16 | 6 | 12 | 10 | 44 |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | 2 | - | 2 | 4 |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | - |
| Q61 | Cystic kidney disease | - | - | 2 | - | 2 | - | - | - | 2 | 2 |
| Q63,Q64 | Other cong. malf. of UT | - | 2 | 4 | - | 6 | - | - | 2 | 2 | 4 |
| Q69 | Polydactyly | 6 | 2 | - | 4 | 12 | 2 | 6 | 6 | 2 | 16 |
| Q70 | Syndactyly | 2 | - | - | - | 2 | 4 | 2 | 2 | 4 | 12 |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | 6 | 2 | 4 | 12 | - | - | 2 | - | 2 |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | - |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | 2 | - | 2 |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | - |
| Q90 | Down's syndrome | 4 | 2 | 2 | 4 | 12 | - | - | 6 | 2 | 8 |
| Q91.0-3 | Edwards' syndrome | 2 | - | - | - | 2 | - | 2 | - | - | 2 |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | - |

Congenital anomalies in Moravskoslezsky region, 1994 - 1995, children, total number

| MKN - X | Diagnosis: | 1994 | | | | | 1995 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | 2 | - | 2 | - | - | 2 | 2 | 4 |
| Q03 | Congenital hydrocephalus | 6 | - | 12 | - | 18 | - | - | 4 | 4 | 8 |
| Q05 | Spina bifida | - | 2 | 4 | 6 | 12 | 6 | - | 2 | 2 | 10 |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | 2 | 2 | 4 | - | - | - | 4 |
| Q17.2 | Microtia | - | - | - | - | - | 2 | - | - | 2 | 4 |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | 2 | 2 | 4 | 2 | 2 | - | 4 | 8 |
| Q21.3 | Tetralogy of Fallot | - | 2 | - | - | 2 | 4 | 2 | - | - | 6 |
| Q23.4 | Hypopl. left heart syndrome | - | 4 | - | 2 | 6 | 4 | 2 | 8 | - | 14 |
| Q25.1 | Coarctation of aorta | 2 | 2 | - | 4 | 8 | 4 | - | 4 | 2 | 10 |
| Q26.2-4 | Anom. pulm. venous connection | 2 | - | - | 2 | 4 | 2 | - | - | 2 | 4 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | 2 | - | 2 | - | 4 |
| Q35 | Cleft palate | 8 | 8 | 4 | 4 | 24 | 12 | 2 | 6 | 2 | 22 |
| Q36 | Cleft lip | 4 | 10 | 4 | 2 | 20 | 4 | - | 2 | 4 | 10 |
| Q37 | Cleft palate with Cleft lip | 10 | 8 | - | - | 18 | 12 | 2 | 6 | 2 | 22 |
| Q39 | Cong. malform. of oesophagus | 10 | 2 | - | - | 12 | 4 | 2 | 2 | 4 | 12 |
| Q41 | Cong. abs., atr., sten. of s. int. | 2 | - | 6 | 6 | 14 | 4 | - | 4 | - | 8 |
| Q42.0-3 | Anorectal atresia | 4 | 6 | 2 | - | 12 | 2 | - | 4 | 2 | 8 |
| Q42.8-9 | Atresia of large intestine | - | - | 2 | - | 2 | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | 26 | 14 | 10 | 14 | 64 | 6 | 8 | 24 | 18 | 56 |
| Q60.0-2 | Renal agenesis | - | 2 | - | 2 | 4 | 2 | - | - | 4 | 6 |
| Q60.3-6 | Renal hypoplasia | - | 2 | - | - | 2 | 2 | - | - | 2 | 4 |
| Q61 | Cystic kidney disease | 2 | 2 | - | - | 4 | - | 2 | - | - | 2 |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | 2 | 4 | - | - | 6 |
| Q69 | Polydactyly | 8 | 18 | 10 | 10 | 46 | 4 | 8 | 2 | 8 | 22 |
| Q70 | Syndactyly | 6 | 4 | 4 | 6 | 20 | 2 | - | 6 | 6 | 14 |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | 6 | 4 | 4 | 14 | 8 | 8 | 8 | 2 | 26 |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | 2 | - | 2 | 4 | 8 | 2 | - | 2 | - | 4 |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | 4 | 4 | - | - | - | - | - |
| Q79.2 | Omphalocele | 2 | 2 | - | 2 | 6 | 2 | - | 2 | - | 4 |
| Q79.3 | Gastroschisis | - | - | 2 | - | 2 | 6 | - | - | - | 6 |
| Q90 | Down's syndrome | 10 | 8 | 4 | 4 | 26 | - | 8 | 6 | 8 | 22 |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | 2 | 2 |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | 2 | - | - | - | 2 |
| Q96 | Turner's syndrome | 2 | - | - | - | 2 | - | - | - | - | - |