

Number of selected congenital anomalies in the livebirths and in prenataly diagnosed cases in the Czech Republic between 1998 and 1999

(updated 15.2.2008)

**Source: The Institute of Health Information and Statistics of the
Czech Republic (UZIS CR)**

Antonin Sipek MD, PhD

**NATIONAL REGISTRY OF CONGENITAL ANOMALIES OF THE CZECH
REPUBLIC**

Cooperating centre of the ICBDSR



**International Clearinghouse for
Birth Defects Surveillance & Research**

Congenital anomalies in CZE, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | 2 | - | - | 2 | 2 | 2 | 2 | - | 6 |
| Q01 | Encephalocele | 4 | 2 | - | 2 | 8 | - | 2 | 4 | - | 6 |
| Q02 | Microcephaly | 2 | 2 | 2 | - | 6 | 4 | 2 | - | 2 | 8 |
| Q03 | Congenital hydrocephalus | 20 | 12 | 12 | 4 | 48 | 18 | 10 | 8 | 2 | 38 |
| Q05 | Spina bifida | 6 | 6 | 14 | 6 | 32 | 2 | 4 | 8 | 10 | 24 |
| Q11.0-2 | Anophtalmos, Microphtalmos | 2 | 2 | 2 | - | 6 | - | - | - | 2 | 2 |
| Q17.2 | Microtia | - | - | - | 2 | 2 | 2 | - | 2 | 2 | 6 |
| Q20.3,Q20.5 | Transposition of great vessels | 10 | 20 | 14 | 14 | 58 | 10 | 12 | 18 | 14 | 54 |
| Q21.3 | Tetralogy of Fallot | 6 | 24 | 16 | 16 | 62 | 12 | 18 | 14 | 14 | 58 |
| Q23.4 | Hypopl. left heart syndrome | 12 | 10 | 6 | 14 | 42 | 4 | 10 | 10 | 12 | 36 |
| Q25.1 | Coarctation of aorta | 24 | 12 | 28 | 24 | 88 | 26 | 14 | 12 | 22 | 74 |
| Q26.2-4 | Anom. pulm. venous connection | 6 | 8 | 8 | 10 | 32 | 10 | 4 | 8 | 8 | 30 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | 2 | 6 | 6 | 8 | 22 | 2 | 4 | 4 | - | 10 |
| Q35 | Cleft palate | 20 | 20 | 36 | 30 | 106 | 22 | 36 | 40 | 22 | 120 |
| Q36 | Cleft lip | 12 | 16 | 6 | 14 | 48 | 14 | 18 | 28 | 12 | 72 |
| Q37 | Cleft palate with Cleft lip | 32 | 22 | 18 | 30 | 102 | 20 | 24 | 20 | 12 | 76 |
| Q39 | Cong. malform. of oesophagus | 12 | 4 | 10 | 12 | 38 | 18 | 10 | 12 | 14 | 54 |
| Q41 | Cong. abs., atr., sten. of s. int. | 16 | 18 | 6 | 10 | 50 | 8 | 4 | 16 | 6 | 34 |
| Q42.0-3 | Anorectal atresia | 16 | 16 | 6 | 22 | 60 | 10 | 14 | 16 | 10 | 50 |
| Q42.8-9 | Atresia of large intestine | 4 | - | 6 | - | 10 | - | - | 8 | 4 | 12 |
| Q44.2 | Atresia of bile ducts | - | 2 | - | - | 2 | - | - | - | 2 | 2 |
| Q54 | Hypospadias | 98 | 128 | 108 | 90 | 424 | 130 | 160 | 134 | 126 | 550 |
| Q60.0-2 | Renal agenesis | 12 | 12 | 8 | 8 | 40 | 14 | 10 | 6 | 10 | 40 |
| Q60.3-6 | Renal hypoplasia | 2 | 2 | 4 | 2 | 10 | 6 | 6 | 2 | - | 14 |
| Q61 | Cystic kidney disease | 6 | 8 | 16 | 22 | 52 | 20 | 12 | 16 | 8 | 56 |
| Q63,Q64 | Other cong. malf. of UT | 4 | 10 | 4 | 12 | 30 | 26 | 26 | 16 | 14 | 82 |
| Q69 | Polydactyly | 58 | 60 | 40 | 46 | 204 | 64 | 46 | 42 | 56 | 208 |
| Q70 | Syndactyly | 46 | 40 | 60 | 34 | 180 | 56 | 58 | 28 | 40 | 182 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 20 | 18 | 22 | 18 | 78 | 22 | 18 | 16 | 16 | 72 |
| Q77 | Osteochondrodysplasia | 4 | 6 | 2 | - | 12 | - | 6 | - | - | 6 |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | 2 | 2 | - | 4 |
| Q79.0 | Cong. diaphragmatic hernia | 10 | 10 | 6 | 8 | 34 | 4 | 10 | 8 | 6 | 28 |
| Q79.1 | Other cong. malf. of diaphragm | - | 2 | - | - | 2 | - | - | 2 | - | 2 |
| Q79.2 | Omphalocele | 8 | 2 | 6 | 2 | 18 | 2 | 4 | 2 | 8 | 16 |
| Q79.3 | Gastroschisis | 4 | 4 | 6 | 2 | 16 | - | 2 | - | 6 | 8 |
| Q90 | Down's syndrome | 42 | 24 | 28 | 22 | 116 | 30 | 30 | 32 | 20 | 112 |
| Q91.0-3 | Edwards' syndrome | 4 | 14 | - | 4 | 22 | 2 | - | 4 | 2 | 8 |
| Q91.4-7 | Patau's syndrome | 2 | - | 2 | - | 4 | 2 | - | 4 | 2 | 8 |
| Q96 | Turner's syndrome | 2 | - | 8 | - | 10 | 2 | 2 | 2 | - | 6 |

Congenital anomalies in CZE, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | 16 | 4 | 6 | 6 | 32 | 10 | 10 | 4 | 8 | 32 |
| Q01 | Encephalocele | - | 2 | 2 | 6 | 10 | 2 | 2 | 2 | - | 6 |
| Q02 | Microcephaly | - | 2 | - | - | 2 | 2 | - | - | 2 | 4 |
| Q03 | Congenital hydrocephalus | 4 | 14 | 2 | 4 | 24 | 16 | 4 | 4 | 6 | 30 |
| Q05 | Spina bifida | 8 | 12 | 10 | 6 | 36 | 10 | 14 | 12 | 8 | 44 |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | 2 | - | - | - | 2 | - | - | 2 | - | 2 |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | 2 | - | 2 |
| Q23.4 | Hypopl. left heart syndrome | 2 | 4 | 6 | - | 12 | 2 | 4 | 2 | 2 | 10 |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | 2 | - | - | 2 | 4 |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | 2 | - | 2 | 4 | - | 2 | - | - | 2 |
| Q35 | Cleft palate | - | - | - | - | - | 4 | 4 | - | 2 | 10 |
| Q36 | Cleft lip | - | 2 | - | 2 | 4 | - | - | 2 | 2 | 4 |
| Q37 | Cleft palate with Cleft lip | 4 | 4 | - | 2 | 10 | 2 | 2 | 4 | 2 | 10 |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | - |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | 2 | - | 2 | - | - | - | 2 | 2 |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | 2 | 2 | 4 |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | 2 | - | 2 |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | - |
| Q60.0-2 | Renal agenesis | 6 | - | - | 6 | 12 | 4 | 2 | 6 | 2 | 14 |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | 2 | 2 | - | 2 | 6 |
| Q61 | Cystic kidney disease | - | 2 | 2 | 2 | 6 | 12 | 4 | 8 | 4 | 28 |
| Q63,Q64 | Other cong. malf. of UT | 2 | 4 | 2 | 4 | 12 | 8 | - | 4 | - | 12 |
| Q69 | Polydactyly | - | 2 | - | - | 2 | - | - | - | - | - |
| Q70 | Syndactyly | - | - | - | - | - | - | 2 | - | - | 2 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 4 | - | 2 | 2 | 8 | 2 | - | 4 | - | 6 |
| Q77 | Osteochondrodysplasia | 4 | - | - | 2 | 6 | - | 2 | 2 | 2 | 6 |
| Q78 | Other osteochondrodysplasias | 2 | - | 2 | - | 4 | - | - | 2 | 2 | 4 |
| Q79.0 | Cong. diaphragmatic hernia | 6 | - | - | 2 | 8 | 2 | - | 8 | 6 | 16 |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | 2 | - | 2 |
| Q79.2 | Omphalocele | 2 | - | - | 4 | 6 | 2 | 8 | 8 | 4 | 22 |
| Q79.3 | Gastroschisis | 8 | 2 | 8 | 2 | 20 | 8 | 10 | 14 | 10 | 42 |
| Q90 | Down's syndrome | 38 | 34 | 30 | 34 | 136 | 38 | 28 | 24 | 26 | 116 |
| Q91.0-3 | Edwards' syndrome | 6 | 4 | 2 | 10 | 22 | 4 | 2 | 14 | 12 | 32 |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | 4 | 4 | 8 |
| Q96 | Turner's syndrome | 2 | 4 | 2 | 6 | 14 | 2 | 4 | 4 | 2 | 12 |

Congenital anomalies in CZE, 1998 - 1999, boys, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | 2 | 2 | - | 4 |
| Q01 | Encephalocele | - | - | - | 2 | 2 | - | - | - | - | - |
| Q02 | Microcephaly | 2 | 2 | 2 | - | 6 | 2 | - | - | - | 2 |
| Q03 | Congenital hydrocephalus | 14 | 6 | 4 | - | 24 | 10 | 2 | 4 | - | 16 |
| Q05 | Spina bifida | 2 | - | 4 | 4 | 10 | - | 2 | 8 | 10 | 20 |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | 2 | - | 2 | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | 2 | - | - | 2 | 4 |
| Q20.3,Q20.5 | Transposition of great vessels | 8 | 10 | 8 | 6 | 32 | 4 | 10 | 16 | 14 | 44 |
| Q21.3 | Tetralogy of Fallot | 2 | 12 | 12 | 4 | 30 | 8 | 12 | 12 | 6 | 38 |
| Q23.4 | Hypopl. left heart syndrome | 10 | 8 | 2 | 10 | 30 | 4 | 8 | 8 | 6 | 26 |
| Q25.1 | Coarctation of aorta | 16 | 8 | 14 | 12 | 50 | 12 | 8 | 8 | 18 | 46 |
| Q26.2-4 | Anom. pulm. venous connection | 6 | 4 | - | 6 | 16 | 6 | 4 | 8 | 6 | 24 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | 2 | 4 | 6 | 4 | 16 | - | 4 | 4 | - | 8 |
| Q35 | Cleft palate | 8 | 6 | 18 | 18 | 50 | 8 | 8 | 16 | 14 | 46 |
| Q36 | Cleft lip | 8 | 12 | 6 | 10 | 36 | 4 | 10 | 20 | 8 | 42 |
| Q37 | Cleft palate with Cleft lip | 16 | 22 | 10 | 24 | 72 | 14 | 6 | 12 | 6 | 38 |
| Q39 | Cong. malform. of oesophagus | 10 | 2 | 8 | 10 | 30 | 14 | 8 | 6 | 6 | 34 |
| Q41 | Cong. abs., atr., sten. of s. int. | 6 | 4 | - | 2 | 12 | 4 | 4 | 4 | 6 | 18 |
| Q42.0-3 | Anorectal atresia | 8 | 12 | 2 | 16 | 38 | 4 | 8 | 6 | 6 | 24 |
| Q42.8-9 | Atresia of large intestine | 2 | - | 4 | - | 6 | - | - | 4 | 2 | 6 |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | 98 | 128 | 108 | 90 | 424 | 130 | 160 | 134 | 126 | 550 |
| Q60.0-2 | Renal agenesis | 8 | 10 | 4 | 8 | 30 | 4 | 10 | 2 | 10 | 26 |
| Q60.3-6 | Renal hypoplasia | - | 2 | 4 | 2 | 8 | 2 | 4 | 2 | - | 8 |
| Q61 | Cystic kidney disease | 4 | 4 | 8 | 10 | 26 | 14 | 10 | 8 | 2 | 34 |
| Q63,Q64 | Other cong. malf. of UT | - | 6 | - | 12 | 18 | 22 | 18 | 14 | 10 | 64 |
| Q69 | Polydactyly | 24 | 36 | 28 | 22 | 110 | 34 | 26 | 22 | 24 | 106 |
| Q70 | Syndactyly | 26 | 26 | 38 | 20 | 110 | 38 | 32 | 20 | 30 | 120 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 16 | 8 | 16 | 12 | 52 | 14 | 4 | 10 | 14 | 42 |
| Q77 | Osteochondrodysplasia | 4 | 2 | 2 | - | 8 | - | 4 | - | - | 4 |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | 2 | - | 2 |
| Q79.0 | Cong. diaphragmatic hernia | 8 | 4 | 2 | 4 | 18 | 2 | 6 | 6 | 6 | 20 |
| Q79.1 | Other cong. malf. of diaphragm | - | 2 | - | - | 2 | - | - | - | - | - |
| Q79.2 | Omphalocele | 4 | - | 2 | 2 | 8 | 2 | - | 2 | 4 | 8 |
| Q79.3 | Gastroschisis | 4 | 2 | - | 2 | 8 | - | - | - | - | - |
| Q90 | Down's syndrome | 24 | 8 | 18 | 10 | 60 | 18 | 18 | 14 | 14 | 64 |
| Q91.0-3 | Edwards' syndrome | 4 | 8 | - | 2 | 14 | - | - | - | 2 | 2 |
| Q91.4-7 | Patau's syndrome | - | - | 2 | - | 2 | - | - | - | 2 | 2 |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | - |

Congenital anomalies in CZE, 1998 - 1999, girls, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | 2 | - | - | 2 | 2 | - | - | - | 2 |
| Q01 | Encephalocele | 4 | 2 | - | - | 6 | - | 2 | 4 | - | 6 |
| Q02 | Microcephaly | - | - | - | - | - | 2 | 2 | - | 2 | 6 |
| Q03 | Congenital hydrocephalus | 6 | 6 | 8 | 4 | 24 | 8 | 8 | 4 | 2 | 22 |
| Q05 | Spina bifida | 4 | 6 | 10 | 2 | 22 | 2 | 2 | - | - | 4 |
| Q11.0-2 | Anophtalmos, Microphtalmos | 2 | 2 | - | - | 4 | - | - | - | 2 | 2 |
| Q17.2 | Microtia | - | - | - | 2 | 2 | - | - | 2 | - | 2 |
| Q20.3,Q20.5 | Transposition of great vessels | 2 | 10 | 6 | 8 | 26 | 6 | 2 | 2 | - | 10 |
| Q21.3 | Tetralogy of Fallot | 4 | 12 | 4 | 12 | 32 | 4 | 6 | 2 | 8 | 20 |
| Q23.4 | Hypopl. left heart syndrome | 2 | 2 | 4 | 4 | 12 | - | 2 | 2 | 6 | 10 |
| Q25.1 | Coarctation of aorta | 8 | 4 | 14 | 12 | 38 | 14 | 6 | 4 | 4 | 28 |
| Q26.2-4 | Anom. pulm. venous connection | - | 4 | 8 | 4 | 16 | 4 | - | - | 2 | 6 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | 2 | - | 4 | 6 | 2 | - | - | - | 2 |
| Q35 | Cleft palate | 12 | 14 | 18 | 12 | 56 | 14 | 28 | 24 | 8 | 74 |
| Q36 | Cleft lip | 4 | 4 | - | 4 | 12 | 10 | 8 | 8 | 4 | 30 |
| Q37 | Cleft palate with Cleft lip | 16 | - | 8 | 6 | 30 | 6 | 18 | 8 | 6 | 38 |
| Q39 | Cong. malform. of oesophagus | 2 | 2 | 2 | 2 | 8 | 4 | 2 | 6 | 8 | 20 |
| Q41 | Cong. abs., atr., sten. of s. int. | 10 | 14 | 6 | 8 | 38 | 4 | - | 12 | - | 16 |
| Q42.0-3 | Anorectal atresia | 8 | 4 | 4 | 6 | 22 | 6 | 6 | 10 | 4 | 26 |
| Q42.8-9 | Atresia of large intestine | 2 | - | - | - | 2 | - | - | 4 | 2 | 6 |
| Q44.2 | Atresia of bile ducts | - | 2 | - | - | 2 | - | - | - | 2 | 2 |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | - |
| Q60.0-2 | Renal agenesis | 4 | 2 | 4 | - | 10 | 10 | - | 4 | - | 14 |
| Q60.3-6 | Renal hypoplasia | 2 | - | - | - | 2 | 4 | 2 | - | - | 6 |
| Q61 | Cystic kidney disease | 2 | 4 | 8 | 12 | 26 | 6 | 2 | 8 | 6 | 22 |
| Q63,Q64 | Other cong. malf. of UT | 4 | 4 | 4 | - | 12 | 4 | 8 | 2 | 4 | 18 |
| Q69 | Polydactyly | 34 | 24 | 12 | 24 | 94 | 30 | 20 | 20 | 32 | 102 |
| Q70 | Syndactyly | 20 | 14 | 22 | 14 | 70 | 18 | 26 | 8 | 10 | 62 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 4 | 10 | 6 | 6 | 26 | 8 | 14 | 6 | 2 | 30 |
| Q77 | Osteochondrodysplasia | - | 4 | - | - | 4 | - | 2 | - | - | 2 |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | 2 | - | - | 2 |
| Q79.0 | Cong. diaphragmatic hernia | 2 | 6 | 4 | 4 | 16 | 2 | 4 | 2 | - | 8 |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | 2 | - | 2 |
| Q79.2 | Omphalocele | 4 | 2 | 4 | - | 10 | - | 4 | - | 4 | 8 |
| Q79.3 | Gastroschisis | - | 2 | 4 | - | 6 | - | 2 | - | 6 | 8 |
| Q90 | Down's syndrome | 18 | 16 | 10 | 12 | 56 | 12 | 12 | 18 | 6 | 48 |
| Q91.0-3 | Edwards' syndrome | - | 6 | - | 2 | 8 | 2 | - | 4 | - | 6 |
| Q91.4-7 | Patau's syndrome | 2 | - | - | - | 2 | 2 | - | 4 | - | 6 |
| Q96 | Turner's syndrome | 2 | - | 8 | - | 10 | 2 | 2 | 2 | - | 6 |

Congenital anomalies in Prague region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | 2 | - | - | 2 |
| Q01 | Encephalocele | - | 2 | - | - | 2 | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | 4 | - | 4 | - | 8 | - | 2 | - | 2 | |
| Q05 | Spina bifida | 2 | - | - | - | 2 | - | - | - | - | |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | 2 | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | 2 | 2 | 8 | 2 | |
| Q21.3 | Tetralogy of Fallot | - | 6 | - | 2 | 8 | 2 | - | 2 | 4 | |
| Q23.4 | Hypopl. left heart syndrome | 2 | - | - | - | 2 | - | 2 | - | 2 | |
| Q25.1 | Coarctation of aorta | - | - | - | 4 | 4 | - | 2 | - | 4 | |
| Q26.2-4 | Anom. pulm. venous connection | - | 2 | - | - | 2 | 2 | - | 2 | 2 | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | - | 2 | 2 | - | 4 | - | 2 | - | 4 | |
| Q36 | Cleft lip | - | 6 | - | 2 | 8 | 2 | 2 | - | 4 | |
| Q37 | Cleft palate with Cleft lip | 4 | 4 | - | 4 | 12 | 4 | 2 | - | 6 | |
| Q39 | Cong. malform. of oesophagus | 2 | - | - | - | 2 | - | - | 2 | 2 | |
| Q41 | Cong. abs., atr., sten. of s. int. | 2 | 4 | - | 2 | 8 | - | - | 2 | 2 | |
| Q42.0-3 | Anorectal atresia | 2 | 2 | - | 4 | 8 | - | 2 | - | 2 | |
| Q42.8-9 | Atresia of large intestine | - | - | 2 | - | 2 | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 10 | 16 | 8 | 4 | 38 | 24 | 18 | 14 | 16 | |
| Q60.0-2 | Renal agenesis | 2 | - | - | - | 2 | - | - | - | - | |
| Q60.3-6 | Renal hypoplasia | - | - | 2 | - | 2 | - | - | - | - | |
| Q61 | Cystic kidney disease | - | 2 | 2 | 4 | 8 | 2 | 2 | 4 | 2 | |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | 4 | 2 | - | 2 | |
| Q69 | Polydactyly | 8 | - | - | 6 | 14 | 14 | 10 | - | 2 | |
| Q70 | Syndactyly | 4 | 2 | 2 | 4 | 12 | 8 | - | 2 | 4 | |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | 2 | - | 2 | 2 | - | - | - | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | 2 | - | |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | 2 | 2 | 4 | - | - | - | - | |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | |
| Q90 | Down's syndrome | 2 | 6 | 2 | 2 | 12 | - | 4 | 8 | - | |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | 2 | - | - | - | 2 | - | - | 2 | - | |
| Q96 | Turner's syndrome | - | - | 2 | - | 2 | - | - | - | - | |

Congenital anomalies in Prague region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | 2 | 2 | - | - | - | 2 | 2 |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | - |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | - |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | - | - | - | - |
| Q05 | Spina bifida | - | - | - | - | - | 2 | - | 2 | - | 4 |
| Q11.0-2 | Anophtalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | - |
| Q23.4 | Hypopl. left heart syndrome | - | - | 2 | - | 2 | - | - | - | - | - |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | - | - |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | - |
| Q35 | Cleft palate | - | - | - | - | - | - | - | - | - | - |
| Q36 | Cleft lip | - | - | - | - | - | - | - | - | - | - |
| Q37 | Cleft palate with Cleft lip | - | - | - | - | - | - | - | - | - | - |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | - |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | - | - |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | - |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | - |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | - |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | - |
| Q61 | Cystic kidney disease | - | - | - | - | - | - | - | - | - | - |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | - | - | - | - | - |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | - |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | - |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | - | - | - | - | - | - | - | - |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | 2 | 2 |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | - |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | - |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | 2 | - | 2 |
| Q90 | Down's syndrome | 4 | 2 | 4 | 2 | 12 | 4 | 2 | 2 | 2 | 10 |
| Q91.0-3 | Edwards' syndrome | - | - | 2 | - | 2 | - | - | 2 | - | 2 |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | - |

Congenital anomalies in Stredocesky region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | - | 2 | 2 | |
| Q05 | Spina bifida | - | - | - | - | - | - | 2 | - | 2 | |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | 2 | - | 2 | - | - | - | 2 | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | 2 | 2 | - | 4 | 8 | - | 4 | - | 4 | |
| Q21.3 | Tetralogy of Fallot | - | 2 | - | 2 | 4 | 2 | 4 | 2 | 8 | |
| Q23.4 | Hypopl. left heart syndrome | - | - | 2 | 4 | 6 | - | 4 | 2 | 8 | |
| Q25.1 | Coarctation of aorta | 8 | 2 | 6 | - | 16 | 2 | 4 | - | 10 | |
| Q26.2-4 | Anom. pulm. venous connection | - | 2 | 2 | - | 4 | - | - | - | - | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | 2 | - | 2 | 4 | |
| Q35 | Cleft palate | 6 | 4 | 12 | 6 | 28 | 2 | 2 | 2 | 8 | |
| Q36 | Cleft lip | 2 | - | - | - | 2 | - | 2 | 6 | 8 | |
| Q37 | Cleft palate with Cleft lip | 2 | 4 | 2 | 4 | 12 | - | 10 | 2 | 12 | |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | 6 | 6 | - | 14 | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | 2 | 2 | 2 | 6 | 2 | 2 | 2 | 6 | |
| Q42.0-3 | Anorectal atresia | 2 | - | 2 | - | 4 | 4 | - | 6 | 14 | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 12 | 20 | 24 | 10 | 66 | 14 | 22 | 18 | 68 | |
| Q60.0-2 | Renal agenesis | 2 | 2 | - | - | 4 | 2 | 2 | - | 4 | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | |
| Q61 | Cystic kidney disease | - | - | 2 | 2 | 4 | - | - | - | 2 | |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | 2 | 2 | 4 | 10 | |
| Q69 | Polydactyly | 4 | 10 | 8 | 6 | 28 | 4 | 6 | 14 | 24 | |
| Q70 | Syndactyly | 4 | 4 | 4 | 2 | 14 | 8 | 4 | 2 | 20 | |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | 4 | 4 | 4 | 12 | 6 | 4 | - | 10 | |
| Q77 | Osteochondrodysplasia | - | - | 2 | - | 2 | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | 4 | - | - | - | 4 | 2 | 2 | 2 | 8 | |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | 2 | - | - | 4 | |
| Q79.3 | Gastroschisis | - | 2 | - | - | 2 | - | - | - | 2 | |
| Q90 | Down's syndrome | 2 | 2 | 6 | 6 | 16 | 2 | 2 | 2 | 8 | |
| Q91.0-3 | Edwards' syndrome | 2 | - | - | - | 2 | - | - | - | 2 | |
| Q91.4-7 | Patau's syndrome | - | - | 2 | - | 2 | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | 2 | - | 2 | 2 | 2 | - | 4 | |

Congenital anomalies in Stredocesky region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | 2 | - | - | 2 |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | - | - | - | |
| Q05 | Spina bifida | - | - | - | - | - | - | 2 | - | 2 | |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | - | - | |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | - | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | - | - | - | - | - | - | - | - | - | |
| Q36 | Cleft lip | - | - | - | - | - | - | - | - | - | |
| Q37 | Cleft palate with Cleft lip | - | - | - | - | - | - | - | - | - | |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | - | |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | |
| Q61 | Cystic kidney disease | - | - | - | - | - | 2 | - | 2 | 4 | |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | - | - | - | - | |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | - | - | - | - | - | - | - | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | |
| Q90 | Down's syndrome | 2 | - | - | - | 2 | - | - | 4 | 4 | |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | 2 | 2 | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | 2 | - | 2 | |

Congenital anomalies in Jihocesky region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | 2 | 2 | - | - | 2 | - | 2 |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | - |
| Q03 | Congenital hydrocephalus | - | 2 | - | - | 2 | - | 2 | 2 | - | 4 |
| Q05 | Spina bifida | - | - | - | - | - | - | - | - | - | - |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | 2 | 2 | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | 2 | - | - | 4 | 6 | - | - | - | 2 | 2 |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | - | - | - |
| Q25.1 | Coarctation of aorta | - | 2 | - | 4 | 6 | - | - | 2 | - | 2 |
| Q26.2-4 | Anom. pulm. venous connection | - | 2 | 2 | - | 4 | 2 | - | - | - | 2 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | 2 | - | - | 2 | - | - | - | - | - |
| Q35 | Cleft palate | - | - | 2 | 2 | 4 | 4 | - | 6 | - | 10 |
| Q36 | Cleft lip | - | - | - | - | - | 2 | - | - | 2 | 4 |
| Q37 | Cleft palate with Cleft lip | 2 | - | 2 | - | 4 | - | - | 4 | - | 4 |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | 2 | 2 |
| Q41 | Cong. abs., atr., sten. of s. int. | - | 2 | - | - | 2 | 4 | 2 | 4 | - | 10 |
| Q42.0-3 | Anorectal atresia | 2 | 4 | - | 8 | 14 | - | 2 | - | - | 2 |
| Q42.8-9 | Atresia of large intestine | 2 | - | - | - | 2 | - | - | 4 | - | 4 |
| Q44.2 | Atresia of bile ducts | - | 2 | - | - | 2 | - | - | - | - | - |
| Q54 | Hypospadias | 12 | 8 | 10 | 2 | 32 | 14 | 26 | 22 | 18 | 80 |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | - |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | 2 | - | 2 |
| Q61 | Cystic kidney disease | 2 | - | 6 | 6 | 14 | 2 | 2 | - | 2 | 6 |
| Q63,Q64 | Other cong. malf. of UT | - | - | 2 | 2 | 4 | - | 8 | 2 | - | 10 |
| Q69 | Polydactyly | 6 | 8 | - | 2 | 16 | 8 | 2 | 2 | 2 | 14 |
| Q70 | Syndactyly | 4 | 4 | 10 | 2 | 20 | 8 | 4 | - | 4 | 16 |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | 2 | 2 | 4 | 2 | 2 | 2 | - | 6 |
| Q77 | Osteochondrodysplasia | 2 | - | - | - | 2 | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | 2 | - | - | 2 | - | - | - | - | - |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | 2 | 2 |
| Q79.3 | Gastroschisis | - | - | 2 | - | 2 | - | - | - | - | - |
| Q90 | Down's syndrome | 4 | 2 | 2 | 2 | 10 | - | 4 | 2 | 2 | 8 |
| Q91.0-3 | Edwards' syndrome | - | 2 | - | - | 2 | - | - | - | - | - |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | 2 | - | 2 | - | 4 |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | - |

Congenital anomalies in Jihocesky region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | 2 | 2 | 2 | 6 |
| Q01 | Encephalocele | - | - | - | - | - | - | - | 2 | - | 2 |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | 2 | 2 |
| Q03 | Congenital hydrocephalus | - | 2 | - | - | 2 | - | - | - | 4 | 4 |
| Q05 | Spina bifida | - | - | - | - | - | 4 | 2 | 2 | 4 | 12 |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | - |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | - | - | - |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | - | - |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | - |
| Q35 | Cleft palate | - | - | - | - | - | 2 | - | - | - | 2 |
| Q36 | Cleft lip | - | - | - | - | - | - | - | - | 2 | 2 |
| Q37 | Cleft palate with Cleft lip | - | 2 | - | - | 2 | 2 | - | - | - | 2 |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | - |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | 2 | 2 |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | - |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | - |
| Q60.0-2 | Renal agenesis | - | - | - | 2 | 2 | - | - | - | 2 | 2 |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | - |
| Q61 | Cystic kidney disease | - | - | - | - | - | - | - | - | - | - |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | - | - | - | - | - |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | - |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | - |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | - | - | - | 2 | - | - | - | 2 |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | 2 | 2 | 4 |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | - |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | 2 | 2 |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | - |
| Q90 | Down's syndrome | - | - | - | - | - | 2 | 10 | 2 | 2 | 16 |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | - |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | - |

Congenital anomalies in Plzensky region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | 2 | - | 2 | - | 4 | - | - | 2 | - | 2 |
| Q05 | Spina bifida | - | - | 4 | - | 4 | - | - | 2 | 2 | 4 |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | 2 | - | 2 | - | - | - | - | |
| Q21.3 | Tetralogy of Fallot | - | - | - | 2 | 2 | - | - | 2 | - | 2 |
| Q23.4 | Hypopl. left heart syndrome | - | 2 | - | 2 | 4 | - | - | - | 2 | 2 |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | 2 | - | 2 |
| Q26.2-4 | Anom. pulm. venous connection | 2 | - | - | - | 2 | - | - | 2 | - | 2 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | - | 2 | 2 | 2 | 6 | 4 | - | - | 2 | 6 |
| Q36 | Cleft lip | - | 2 | - | - | 2 | 2 | 4 | 2 | - | 8 |
| Q37 | Cleft palate with Cleft lip | - | 2 | - | - | 2 | 2 | - | 2 | - | 4 |
| Q39 | Cong. malform. of oesophagus | - | - | 4 | 4 | 8 | - | - | - | - | |
| Q41 | Cong. abs., atr., sten. of s. int. | 2 | - | - | - | 2 | - | - | - | 2 | 2 |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 6 | 4 | 6 | 6 | 22 | 6 | 14 | 10 | 10 | 40 |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | |
| Q61 | Cystic kidney disease | - | 2 | - | 2 | 4 | 2 | 4 | 4 | - | 10 |
| Q63,Q64 | Other cong. malf. of UT | 2 | - | - | - | 2 | - | 2 | 6 | - | 8 |
| Q69 | Polydactyly | 8 | 2 | 2 | - | 12 | 2 | - | - | - | 2 |
| Q70 | Syndactyly | 4 | 2 | 2 | 2 | 10 | 2 | 4 | 2 | 2 | 10 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 2 | - | - | - | 2 | - | 2 | 2 | - | 4 |
| Q77 | Osteochondrodysplasia | - | 2 | - | - | 2 | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | 2 | - | - | - | 2 | - | - | - | - | |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | |
| Q90 | Down's syndrome | - | - | - | - | - | - | 2 | 4 | 2 | 8 |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | |

Congenital anomalies in Plzensky region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | 4 | - | - | - | 4 | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | - | - | 2 | 2 | - | - | - | - | |
| Q05 | Spina bifida | 2 | 2 | - | 2 | 6 | - | - | - | - | |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | 2 | 2 | |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | |
| Q23.4 | Hypopl. left heart syndrome | - | - | 2 | - | 2 | - | - | - | - | |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | - | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | - | - | - | - | - | - | - | - | - | |
| Q36 | Cleft lip | - | - | - | - | - | - | - | - | - | |
| Q37 | Cleft palate with Cleft lip | - | - | - | - | - | - | - | - | - | |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | - | |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | |
| Q61 | Cystic kidney disease | - | - | - | - | - | 2 | - | - | 2 | |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | - | - | - | - | |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | 2 | - | 2 | - | - | - | - | |
| Q77 | Osteochondrodysplasia | 2 | - | - | 2 | 4 | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | 2 | - | - | - | 2 | - | - | - | - | |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | 2 | - | 2 | |
| Q79.3 | Gastroschisis | - | 2 | - | - | 2 | - | 2 | - | 4 | |
| Q90 | Down's syndrome | 4 | - | - | 2 | 6 | - | - | 2 | 2 | |
| Q91.0-3 | Edwards' syndrome | - | 2 | - | - | 2 | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | 2 | 2 | |

Congenital anomalies in Karlovarsky region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | 2 | - | - | 2 | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | - |
| Q02 | Microcephaly | - | 2 | - | - | 2 | 2 | - | - | - | 2 |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | 2 | 2 | - | - | 4 |
| Q05 | Spina bifida | - | 4 | - | 2 | 6 | - | - | - | - | - |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | 2 | - | - | - | 2 |
| Q21.3 | Tetralogy of Fallot | - | 6 | - | - | 6 | 2 | 4 | - | - | 6 |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | 2 | 2 | - | - | - | 4 | 4 |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | 2 | - | 2 |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | 2 | 2 | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | 2 | 2 | - | - | - | - | - |
| Q35 | Cleft palate | 2 | - | - | 2 | 4 | - | 2 | 2 | - | 4 |
| Q36 | Cleft lip | 2 | - | - | - | 2 | - | - | - | - | - |
| Q37 | Cleft palate with Cleft lip | 2 | 2 | 2 | - | 6 | - | 2 | - | - | 2 |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | 4 | - | - | - | 4 |
| Q41 | Cong. abs., atr., sten. of s. int. | 4 | - | - | - | 4 | - | - | - | - | - |
| Q42.0-3 | Anorectal atresia | - | - | - | 4 | 4 | 2 | - | - | 2 | 4 |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | - | 6 | 4 | 2 | 12 | 2 | - | 4 | 2 | 8 |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | 4 | 6 | - | - | 10 |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | 2 | - | - | 2 |
| Q61 | Cystic kidney disease | - | - | - | - | - | 2 | - | - | - | 2 |
| Q63,Q64 | Other cong. malf. of UT | - | 2 | - | 2 | 4 | - | - | - | - | - |
| Q69 | Polydactyly | - | 4 | - | 2 | 6 | 2 | 2 | - | 8 | 12 |
| Q70 | Syndactyly | 4 | 8 | 6 | - | 18 | 10 | 4 | - | 4 | 18 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 4 | - | - | - | 4 | 2 | 2 | - | 2 | 6 |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | - | 2 | - | 2 | - | 2 | - | - | 2 |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | - |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | - |
| Q90 | Down's syndrome | 4 | - | 4 | - | 8 | - | 2 | - | 2 | 4 |
| Q91.0-3 | Edwards' syndrome | - | 2 | - | - | 2 | - | - | - | - | - |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | - |

Congenital anomalies in Karlovarsky region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | - | 2 | 2 | |
| Q05 | Spina bifida | - | - | - | - | - | - | - | - | - | |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | - | - | |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | - | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | - | - | - | - | - | - | - | - | - | |
| Q36 | Cleft lip | - | - | - | - | - | - | - | - | - | |
| Q37 | Cleft palate with Cleft lip | - | - | - | - | - | - | - | 2 | 2 | |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | - | |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | |
| Q61 | Cystic kidney disease | - | - | - | - | - | 2 | - | - | 2 | |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | - | - | - | - | |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | - | - | - | - | - | - | - | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | |
| Q79.3 | Gastroschisis | 2 | - | - | - | 2 | - | - | - | - | |
| Q90 | Down's syndrome | - | - | - | 2 | 2 | - | - | - | 2 | |
| Q91.0-3 | Edwards' syndrome | - | - | - | 2 | 2 | - | - | - | 2 | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | |

Congenital anomalies in Ustecky region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | 2 | - | - | 2 | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | - | 2 | 2 | |
| Q05 | Spina bifida | - | - | - | - | - | - | - | 2 | 2 | |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | 2 | 2 | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | 4 | - | 4 | 8 | - | - | - | 2 | |
| Q21.3 | Tetralogy of Fallot | 2 | - | 8 | - | 10 | 2 | - | - | 2 | |
| Q23.4 | Hypopl. left heart syndrome | 2 | 2 | - | - | 4 | - | - | - | - | |
| Q25.1 | Coarctation of aorta | 2 | 2 | 2 | - | 6 | 4 | 2 | 4 | 2 | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | 2 | 2 | 2 | - | - | 2 | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | 2 | 4 | 4 | 10 | - | - | 2 | - | |
| Q35 | Cleft palate | 2 | - | 4 | - | 6 | 2 | 4 | - | 2 | |
| Q36 | Cleft lip | 2 | 2 | - | 2 | 6 | 2 | 2 | 2 | - | |
| Q37 | Cleft palate with Cleft lip | 2 | 2 | 4 | 2 | 10 | - | 2 | - | - | |
| Q39 | Cong. malform. of oesophagus | 4 | - | 4 | - | 8 | - | - | 2 | - | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | 2 | 2 | - | - | 2 | - | |
| Q42.0-3 | Anorectal atresia | 2 | - | - | - | 2 | - | - | - | - | |
| Q42.8-9 | Atresia of large intestine | - | - | 2 | - | 2 | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 10 | 10 | 8 | 6 | 34 | 12 | 14 | 8 | 20 | |
| Q60.0-2 | Renal agenesis | - | - | - | 2 | 2 | - | - | 2 | 2 | |
| Q60.3-6 | Renal hypoplasia | - | - | - | 2 | 2 | - | - | - | - | |
| Q61 | Cystic kidney disease | 2 | - | - | 2 | 4 | 2 | 2 | 6 | - | |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | 2 | 2 | - | 2 | - | 4 | |
| Q69 | Polydactyly | 12 | 6 | 4 | 4 | 26 | 4 | 2 | 4 | 6 | |
| Q70 | Syndactyly | 2 | 8 | 8 | 4 | 22 | - | 6 | 2 | 4 | |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | 6 | 2 | - | 8 | 2 | 2 | 2 | 4 | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | 2 | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | 2 | - | 2 | 4 | - | 2 | 2 | - | |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | |
| Q79.3 | Gastroschisis | - | - | 2 | - | 2 | - | - | - | - | |
| Q90 | Down's syndrome | 4 | 2 | 2 | 4 | 12 | 2 | - | 8 | 2 | |
| Q91.0-3 | Edwards' syndrome | 2 | - | - | 2 | 4 | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | 2 | - | 2 | - | - | - | - | |

Congenital anomalies in Ustecky region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | 4 | - | - | - | 4 | 2 | 4 | - | - | 6 |
| Q01 | Encephalocele | - | - | - | 2 | 2 | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | 2 | 4 | - | - | 6 | 4 | - | - | 4 | |
| Q05 | Spina bifida | - | - | 6 | - | 6 | - | 4 | 2 | 6 | |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | 2 | - | - | - | 2 | - | - | - | - | |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | |
| Q23.4 | Hypopl. left heart syndrome | - | 2 | - | - | 2 | - | 2 | - | 2 | |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | - | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | - | - | - | - | - | 2 | 2 | - | 4 | |
| Q36 | Cleft lip | - | 2 | - | 2 | 4 | - | - | - | - | |
| Q37 | Cleft palate with Cleft lip | 2 | 2 | - | - | 4 | - | - | - | - | |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | - | |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | 2 | 2 | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | 2 | - | - | 2 | |
| Q61 | Cystic kidney disease | - | 2 | - | - | 2 | 4 | 2 | 2 | 10 | |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | 4 | - | 4 | 8 | |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | - | - | - | - | - | - | - | |
| Q77 | Osteochondrodysplasia | 2 | - | - | - | 2 | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | 2 | - | - | - | 2 | - | - | 2 | 4 | |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | |
| Q79.3 | Gastroschisis | - | - | 2 | - | 2 | 2 | 4 | 2 | 10 | |
| Q90 | Down's syndrome | 10 | 4 | 4 | 6 | 24 | 6 | - | 2 | 8 | |
| Q91.0-3 | Edwards' syndrome | - | 2 | - | - | 2 | - | 2 | 6 | 12 | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | 2 | 2 | |
| Q96 | Turner's syndrome | - | - | - | 4 | 4 | - | 2 | - | 2 | |

Congenital anomalies in Liberecky region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | 2 | - | - | - | 2 | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | 2 | - | - | 2 | |
| Q05 | Spina bifida | - | - | 2 | - | 2 | 2 | - | - | 2 | |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | 2 | - | - | 2 | - | - | - | 2 | |
| Q21.3 | Tetralogy of Fallot | - | 4 | - | 2 | 6 | - | - | 2 | 2 | |
| Q23.4 | Hypopl. left heart syndrome | - | 2 | - | - | 2 | - | - | - | - | |
| Q25.1 | Coarctation of aorta | 2 | - | - | 2 | 4 | - | - | - | 2 | |
| Q26.2-4 | Anom. pulm. venous connection | - | 2 | - | - | 2 | - | - | - | - | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | 2 | - | 2 | - | - | - | - | |
| Q35 | Cleft palate | 2 | 2 | - | 2 | 6 | - | 2 | - | 2 | |
| Q36 | Cleft lip | - | 2 | - | - | 2 | 2 | - | 2 | 4 | |
| Q37 | Cleft palate with Cleft lip | 4 | - | 2 | 6 | 12 | 4 | 4 | - | 8 | |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | 2 | 2 | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | 4 | - | - | 4 | 2 | - | - | 2 | |
| Q42.0-3 | Anorectal atresia | - | - | 2 | - | 2 | 4 | - | 2 | 8 | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | 2 | 2 | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 8 | 6 | 6 | 8 | 28 | - | 8 | 4 | 12 | |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | 2 | - | - | 2 | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | |
| Q61 | Cystic kidney disease | - | 2 | - | - | 2 | - | - | - | - | |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | - | - | - | - | |
| Q69 | Polydactyly | - | - | 4 | 2 | 6 | 2 | 4 | 2 | 16 | |
| Q70 | Syndactyly | 4 | 2 | 2 | 6 | 14 | 4 | 2 | 6 | 12 | |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | 2 | 4 | 2 | 8 | 2 | - | - | 2 | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | - | 2 | - | 2 | - | - | 2 | 2 | |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | |
| Q90 | Down's syndrome | 2 | - | 2 | 4 | 8 | 6 | - | - | 8 | |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | |

Congenital anomalies in Liberecky region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | 2 | - | - | - | 2 | - | 2 | - | 2 | 4 |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | 2 | - | - | 2 | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | - | 2 | 2 | |
| Q05 | Spina bifida | - | - | - | - | - | - | - | - | - | |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | |
| Q23.4 | Hypopl. left heart syndrome | - | 2 | - | - | 2 | - | - | - | - | |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | - | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | - | - | - | - | - | - | 2 | - | 2 | |
| Q36 | Cleft lip | - | - | - | - | - | - | - | - | - | |
| Q37 | Cleft palate with Cleft lip | - | - | - | - | - | - | - | - | - | |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | - | |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | |
| Q61 | Cystic kidney disease | - | - | - | - | - | 2 | - | - | 2 | |
| Q63,Q64 | Other cong. malf. of UT | - | - | 2 | - | 2 | 2 | - | - | 2 | |
| Q69 | Polydactyly | - | 2 | - | - | 2 | - | - | - | - | |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | |
| Q71,Q72,Q73 | Reduct. defects of extremities | 2 | - | - | - | 2 | - | - | - | - | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | 2 | - | - | - | 2 | 2 | - | - | 2 | |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | |
| Q79.3 | Gastroschisis | 4 | - | - | - | 4 | - | - | - | 2 | |
| Q90 | Down's syndrome | - | 4 | 2 | 2 | 8 | - | - | - | - | |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | 2 | 2 | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | 2 | - | 2 | - | - | - | - | |

Congenital anomalies in Kralovehradecky region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | - | - | - | |
| Q05 | Spina bifida | - | - | 4 | - | 4 | - | - | - | - | |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | 2 | 2 | - | - | 2 | 2 | |
| Q21.3 | Tetralogy of Fallot | 2 | 2 | 2 | - | 6 | 2 | - | 2 | - | |
| Q23.4 | Hypopl. left heart syndrome | 2 | - | 2 | 2 | 6 | - | - | - | - | |
| Q25.1 | Coarctation of aorta | 4 | - | 2 | - | 6 | - | 2 | - | 2 | |
| Q26.2-4 | Anom. pulm. venous connection | 4 | - | - | - | 4 | - | - | - | - | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | - | - | 2 | - | 2 | 2 | - | 2 | - | |
| Q36 | Cleft lip | - | - | - | 2 | 2 | - | - | 2 | 2 | |
| Q37 | Cleft palate with Cleft lip | 2 | - | 2 | - | 4 | - | - | 4 | 2 | |
| Q39 | Cong. malform. of oesophagus | 2 | 2 | - | - | 4 | - | 2 | - | 4 | |
| Q41 | Cong. abs., atr., sten. of s. int. | 4 | - | - | - | 4 | - | - | - | - | |
| Q42.0-3 | Anorectal atresia | - | 2 | - | - | 2 | - | - | - | - | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 4 | 8 | 2 | 8 | 22 | 8 | 6 | 2 | 6 | |
| Q60.0-2 | Renal agenesis | - | - | - | 2 | 2 | 2 | - | - | - | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | 2 | 2 | - | - | |
| Q61 | Cystic kidney disease | - | - | - | - | - | - | - | - | - | |
| Q63,Q64 | Other cong. malf. of UT | - | 2 | - | - | 2 | 2 | 6 | - | - | |
| Q69 | Polydactyly | 2 | - | 4 | 4 | 10 | 4 | 2 | 2 | 2 | |
| Q70 | Syndactyly | 2 | - | 2 | 2 | 6 | - | 2 | - | - | |
| Q71,Q72,Q73 | Reduct. defects of extremities | 2 | - | - | - | 2 | - | 2 | - | 2 | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | 2 | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | |
| Q79.3 | Gastroschisis | - | 2 | 2 | - | 4 | - | - | - | - | |
| Q90 | Down's syndrome | 2 | - | 2 | - | 4 | 4 | 2 | - | 2 | |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | |

Congenital anomalies in Kralovehradecky region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | 2 | 2 | 2 | 6 | - | - | - | 2 | 2 |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | - |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | - |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | 2 | - | - | - | 2 |
| Q05 | Spina bifida | 2 | 6 | 2 | - | 10 | - | - | - | - | - |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | - |
| Q23.4 | Hypopl. left heart syndrome | 2 | - | - | - | 2 | - | - | - | - | - |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | - | - |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | 2 | - | - | 2 |
| Q35 | Cleft palate | - | - | - | - | - | - | - | - | - | - |
| Q36 | Cleft lip | - | - | - | - | - | - | - | - | - | - |
| Q37 | Cleft palate with Cleft lip | 2 | - | - | - | 2 | - | 2 | - | - | 2 |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | - |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | - | - |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | - |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | - |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | 2 | - | 2 | - | 4 |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | 2 | - | 2 | 4 |
| Q61 | Cystic kidney disease | - | - | - | 2 | 2 | - | - | 2 | - | 2 |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | 2 | 2 | - | - | - | - | - |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | - |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | - |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | - | - | - | - | - | - | - | - |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | - |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | 2 | - | - | 2 | 4 | - | 2 | - | - | 2 |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | - |
| Q90 | Down's syndrome | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 6 | 12 |
| Q91.0-3 | Edwards' syndrome | - | - | - | 2 | 2 | - | - | 2 | 2 | 4 |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | 2 | 2 | - | - | - | 2 | 2 |

Congenital anomalies in Pardubicky region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | 2 | - | - | 2 | |
| Q05 | Spina bifida | - | - | - | - | - | - | - | - | - | |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | 2 | - | 2 | - | - | 2 | 2 | |
| Q21.3 | Tetralogy of Fallot | - | - | 2 | - | 2 | - | - | - | 2 | |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | - | 2 | |
| Q25.1 | Coarctation of aorta | 2 | 4 | - | 4 | 10 | 2 | - | 2 | - | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | 2 | 2 | - | - | 2 | 2 | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | - | 2 | - | - | 2 | 4 | - | 4 | 2 | |
| Q36 | Cleft lip | 4 | - | - | - | 4 | - | - | - | - | |
| Q37 | Cleft palate with Cleft lip | 2 | 4 | 2 | 2 | 10 | - | - | - | - | |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | 2 | - | |
| Q41 | Cong. abs., atr., sten. of s. int. | 4 | - | - | - | 4 | - | - | - | - | |
| Q42.0-3 | Anorectal atresia | - | 4 | - | - | 4 | - | - | 2 | 2 | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 8 | 4 | 6 | 12 | 30 | 6 | 4 | 8 | 4 | |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | |
| Q61 | Cystic kidney disease | - | - | - | - | - | - | - | - | - | |
| Q63,Q64 | Other cong. malf. of UT | - | 2 | - | 2 | 4 | - | - | - | 2 | |
| Q69 | Polydactyly | 6 | - | - | 4 | 10 | 2 | 2 | 2 | 4 | |
| Q70 | Syndactyly | 4 | 4 | 2 | - | 10 | 2 | 14 | - | - | |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | - | - | - | - | - | - | 6 | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | 2 | - | - | 2 | - | 2 | - | - | |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | |
| Q79.3 | Gastroschisis | 2 | - | - | - | 2 | - | - | - | - | |
| Q90 | Down's syndrome | - | 2 | 2 | - | 4 | 2 | 2 | - | 2 | |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | |

Congenital anomalies in Pardubicky region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|---|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total | |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | 2 | - | - | - | - | 2 |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | - | - |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | - | - |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | - | - | - | - | - |
| Q05 | Spina bifida | - | - | - | - | - | 2 | - | - | - | - | 2 |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | - | - |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | 2 | - | - | 2 |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | - | - | - |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | - | - |
| Q35 | Cleft palate | - | - | - | - | - | - | - | - | - | - | - |
| Q36 | Cleft lip | - | - | - | - | - | - | - | - | - | - | - |
| Q37 | Cleft palate with Cleft lip | - | - | - | - | - | - | - | 2 | - | - | 2 |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | - | - |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | - | - | - |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | 2 | - | - | 2 |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | 2 | - | - | 2 |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | - | - |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | - | - |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | - | - |
| Q61 | Cystic kidney disease | - | - | - | - | - | - | - | - | - | - | - |
| Q63,Q64 | Other cong. malf. of UT | 2 | - | - | - | 2 | - | - | - | - | - | - |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | - | - |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | - | - |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | - | - | - | - | - | 2 | - | - | 2 |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | 2 | - | - | - | 2 | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | - | - |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | - | - |
| Q79.3 | Gastroschisis | - | - | - | 2 | 2 | - | - | - | - | - | - |
| Q90 | Down's syndrome | - | 2 | 6 | 6 | 14 | 2 | 2 | - | - | - | 4 |
| Q91.0-3 | Edwards' syndrome | 2 | - | - | - | 2 | - | - | - | - | - | - |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | - | - |

Congenital anomalies in Vysocina region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | 2 | - | - | - | 2 | - | - | - | - | |
| Q03 | Congenital hydrocephalus | 4 | - | - | 2 | 6 | 2 | - | - | 2 | |
| Q05 | Spina bifida | - | - | 2 | 2 | 4 | - | - | 2 | 2 | |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | 2 | - | - | 2 | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | 2 | 2 | 2 | 6 | |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | 2 | - | 4 | |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | 2 | 2 | |
| Q25.1 | Coarctation of aorta | - | - | 2 | - | 2 | - | 2 | - | 2 | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | 2 | 4 | 4 | 2 | 12 | - | 4 | 4 | 8 | |
| Q36 | Cleft lip | - | - | - | 2 | 2 | - | - | 6 | 6 | |
| Q37 | Cleft palate with Cleft lip | 4 | 2 | - | 4 | 10 | 2 | - | - | 2 | |
| Q39 | Cong. malform. of oesophagus | - | - | 2 | 2 | 4 | 2 | - | 2 | 4 | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | 2 | 2 | |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 4 | 6 | 10 | 6 | 26 | 6 | 8 | 12 | 30 | |
| Q60.0-2 | Renal agenesis | - | 4 | - | - | 4 | 2 | - | 2 | 2 | |
| Q60.3-6 | Renal hypoplasia | - | 2 | - | - | 2 | 2 | 2 | - | 4 | |
| Q61 | Cystic kidney disease | - | - | - | - | - | 2 | - | 2 | 4 | |
| Q63,Q64 | Other cong. malf. of UT | - | 2 | - | - | 2 | - | - | - | - | |
| Q69 | Polydactyly | 2 | 6 | 4 | 6 | 18 | - | 2 | 6 | 4 | |
| Q70 | Syndactyly | 2 | 2 | 2 | 4 | 10 | 6 | 6 | 6 | 8 | |
| Q71,Q72,Q73 | Reduct. defects of extremities | 2 | - | - | 4 | 6 | 2 | - | 4 | - | |
| Q77 | Osteochondrodysplasia | - | 2 | - | - | 2 | - | 4 | - | 4 | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | 2 | - | 2 | 4 | - | - | - | - | |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | 2 | 2 | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | - | |
| Q90 | Down's syndrome | 2 | 6 | - | - | 8 | 2 | 2 | - | 2 | |
| Q91.0-3 | Edwards' syndrome | - | 4 | - | - | 4 | - | - | 2 | 2 | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | |

Congenital anomalies in Vysocina region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | 4 | - | 2 | - | 6 |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | - |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | - |
| Q03 | Congenital hydrocephalus | - | - | 2 | - | 2 | 4 | - | - | - | 4 |
| Q05 | Spina bifida | - | - | - | - | - | 2 | 2 | - | 2 | 6 |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | - |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | - | - | - |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | - | - |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | - |
| Q35 | Cleft palate | - | - | - | - | - | - | - | - | - | - |
| Q36 | Cleft lip | - | - | - | - | - | - | - | - | - | - |
| Q37 | Cleft palate with Cleft lip | - | - | - | - | - | - | - | - | - | - |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | - |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | - | - |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | - |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | - |
| Q60.0-2 | Renal agenesis | 2 | - | - | - | 2 | - | - | - | - | - |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | - |
| Q61 | Cystic kidney disease | - | - | - | - | - | - | - | - | 2 | 2 |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | - | - | - | - | - |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | - |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | - |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | - | - | - | - | - | - | - | - |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | - |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | 2 | - | - | - | 2 |
| Q79.3 | Gastroschisis | - | - | 2 | - | 2 | 2 | 2 | - | - | 4 |
| Q90 | Down's syndrome | - | 2 | 4 | - | 6 | 4 | - | - | - | 4 |
| Q91.0-3 | Edwards' syndrome | 2 | - | - | 2 | 4 | 2 | - | - | - | 2 |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | 2 | - | 2 |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | 2 | - | 2 |

Congenital anomalies in Jihomoravsky region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | 2 | - | - | - | 2 | - | - | - | - | - |
| Q02 | Microcephaly | - | - | - | - | - | - | 2 | - | 2 | 4 |
| Q03 | Congenital hydrocephalus | - | 4 | - | 2 | 6 | 2 | - | - | - | 2 |
| Q05 | Spina bifida | 2 | - | - | - | 2 | - | - | - | 2 | 2 |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | 2 | 2 | 4 | - | 8 | 2 | 2 | 4 | 4 | 12 |
| Q21.3 | Tetralogy of Fallot | - | - | 4 | 2 | 6 | - | 2 | 2 | 2 | 6 |
| Q23.4 | Hypopl. left heart syndrome | 2 | 2 | - | - | 4 | 2 | - | 2 | - | 4 |
| Q25.1 | Coarctation of aorta | 2 | - | 2 | 6 | 10 | 8 | 2 | - | - | 10 |
| Q26.2-4 | Anom. pulm. venous connection | - | - | 4 | - | 4 | 2 | 2 | 2 | 2 | 8 |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | 2 | - | - | 2 | - | 2 | - | - | 2 |
| Q35 | Cleft palate | - | 2 | 4 | 6 | 12 | 4 | 8 | 4 | 2 | 18 |
| Q36 | Cleft lip | - | - | 2 | 2 | 4 | 2 | 4 | 2 | 2 | 10 |
| Q37 | Cleft palate with Cleft lip | 2 | - | - | 4 | 6 | 4 | 2 | - | 2 | 8 |
| Q39 | Cong. malform. of oesophagus | - | - | - | 4 | 4 | 2 | 2 | 2 | - | 6 |
| Q41 | Cong. abs., atr., sten. of s. int. | - | 2 | - | 2 | 4 | - | - | - | - | - |
| Q42.0-3 | Anorectal atresia | - | 2 | 2 | 2 | 6 | - | 2 | - | - | 2 |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | 12 | 12 | 8 | 14 | 46 | 16 | 14 | 6 | 12 | 48 |
| Q60.0-2 | Renal agenesis | 4 | - | 6 | 2 | 12 | 2 | - | - | - | 2 |
| Q60.3-6 | Renal hypoplasia | 2 | - | - | - | 2 | - | - | - | - | - |
| Q61 | Cystic kidney disease | - | - | - | 2 | 2 | 2 | - | - | - | 2 |
| Q63,Q64 | Other cong. malf. of UT | - | 2 | - | 2 | 4 | 6 | 2 | 2 | - | 10 |
| Q69 | Polydactyly | 2 | 10 | 4 | 4 | 20 | 6 | 4 | 2 | 10 | 22 |
| Q70 | Syndactyly | 4 | - | 10 | 6 | 20 | 4 | 2 | 2 | 4 | 12 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 2 | - | 4 | 4 | 10 | - | - | - | - | - |
| Q77 | Osteochondrodysplasia | - | 2 | - | - | 2 | - | 2 | - | - | 2 |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | 2 | 2 | - | - | 4 | - | - | - | 2 | 2 |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | 4 | 2 | 2 | - | 8 | - | 2 | - | - | 2 |
| Q79.3 | Gastroschisis | - | - | - | 2 | 2 | - | - | - | 2 | 2 |
| Q90 | Down's syndrome | 6 | - | 2 | 2 | 10 | 2 | 4 | 2 | - | 8 |
| Q91.0-3 | Edwards' syndrome | - | 2 | - | - | 2 | - | - | - | - | - |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | 2 | - | 2 |

Congenital anomalies in Jihomoravsky region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | 2 | - | 2 | |
| Q05 | Spina bifida | - | - | - | - | - | - | - | - | 2 | |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | 2 | - | 2 | |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | 2 | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | - | - | - | - | - | - | - | - | 2 | |
| Q36 | Cleft lip | - | - | - | - | - | - | - | - | - | |
| Q37 | Cleft palate with Cleft lip | - | - | - | 2 | 2 | - | - | - | 2 | |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | - | |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | |
| Q60.0-2 | Renal agenesis | - | - | - | 4 | 4 | - | - | 2 | 2 | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | |
| Q61 | Cystic kidney disease | - | - | - | - | - | - | 2 | - | 2 | |
| Q63,Q64 | Other cong. malf. of UT | - | 2 | - | - | 2 | - | - | - | - | |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | - | - | - | - | - | - | - | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | 2 | 4 | |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | |
| Q79.3 | Gastroschisis | - | - | 2 | - | 2 | 2 | - | 2 | 2 | |
| Q90 | Down's syndrome | 6 | 8 | 8 | - | 22 | - | - | 6 | 4 | |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | 2 | - | - | 2 | - | - | - | - | |

Congenital anomalies in Olomoucky region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | - | - | - |
| Q01 | Encephalocele | - | - | - | - | - | - | - | - | - | |
| Q02 | Microcephaly | - | - | 2 | - | 2 | - | - | - | - | |
| Q03 | Congenital hydrocephalus | 2 | - | - | - | 2 | 6 | - | - | 6 | |
| Q05 | Spina bifida | - | 2 | - | - | 2 | - | 2 | - | 2 | |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | 2 | - | - | 2 | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | |
| Q20.3,Q20.5 | Transposition of great vessels | 2 | 6 | 2 | - | 10 | - | 2 | - | 2 | |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | 2 | - | 2 | |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | 2 | 2 | |
| Q25.1 | Coarctation of aorta | 2 | - | - | 2 | 4 | 4 | - | - | 4 | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | 2 | - | 2 | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | 2 | - | 2 | |
| Q35 | Cleft palate | 2 | - | - | 2 | 4 | - | 8 | 2 | 14 | |
| Q36 | Cleft lip | 2 | 2 | - | 4 | 8 | - | 2 | 2 | 6 | |
| Q37 | Cleft palate with Cleft lip | - | - | - | - | - | - | 2 | 2 | 6 | |
| Q39 | Cong. malform. of oesophagus | 2 | - | - | - | 2 | - | - | - | - | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | 2 | - | - | 2 | - | - | - | - | |
| Q42.0-3 | Anorectal atresia | 2 | - | - | - | 2 | - | 2 | - | 2 | |
| Q42.8-9 | Atresia of large intestine | - | - | 2 | - | 2 | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 2 | 8 | 6 | 4 | 20 | 6 | 10 | 4 | 24 | |
| Q60.0-2 | Renal agenesis | - | 2 | - | - | 2 | - | 2 | - | 2 | |
| Q60.3-6 | Renal hypoplasia | - | - | 2 | - | 2 | - | - | - | - | |
| Q61 | Cystic kidney disease | - | - | 2 | - | 2 | - | - | - | - | |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | 6 | 2 | - | 8 | |
| Q69 | Polydactyly | 2 | 6 | 2 | 2 | 12 | 6 | 2 | - | 8 | |
| Q70 | Syndactyly | - | 2 | 4 | - | 6 | 4 | 4 | 2 | 10 | |
| Q71,Q72,Q73 | Reduct. defects of extremities | 2 | 2 | 2 | 2 | 8 | 2 | 4 | 2 | 10 | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | 2 | 2 | 2 | 2 | - | 4 | |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | 4 | 4 | |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | 2 | - | 2 | |
| Q90 | Down's syndrome | 4 | - | 2 | - | 6 | 6 | - | 2 | 8 | |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | 2 | - | - | 2 | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | 2 | 2 | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | |

Congenital anomalies in Olomoucky region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | 6 | - | 2 | 2 | 10 | - | - | - | - | - |
| Q01 | Encephalocele | - | 2 | - | 2 | 4 | 2 | - | - | - | 2 |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | - |
| Q03 | Congenital hydrocephalus | 2 | 2 | - | - | 4 | 4 | - | - | - | 4 |
| Q05 | Spina bifida | 4 | - | 2 | 2 | 8 | - | - | 2 | - | 2 |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | - |
| Q23.4 | Hypopl. left heart syndrome | - | - | 2 | - | 2 | - | - | - | 2 | 2 |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | - | - |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | - |
| Q35 | Cleft palate | - | - | - | - | - | - | - | - | - | - |
| Q36 | Cleft lip | - | - | - | - | - | - | - | - | - | - |
| Q37 | Cleft palate with Cleft lip | - | - | - | - | - | - | - | - | - | - |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | - |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | 2 | - | 2 | - | - | - | - | - |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | - |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | - |
| Q60.0-2 | Renal agenesis | 4 | - | - | - | 4 | 2 | - | - | - | 2 |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | - |
| Q61 | Cystic kidney disease | - | - | - | - | - | - | - | 2 | - | 2 |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | 2 | 2 | - | - | - | - | - |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | - |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | - |
| Q71,Q72,Q73 | Reduct. defects of extremities | 2 | - | - | - | 2 | - | - | - | - | - |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | 2 | - | 2 | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | 4 | - | 4 |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | 2 | - | 2 |
| Q79.3 | Gastroschisis | - | - | 2 | - | 2 | 2 | 2 | 4 | - | 8 |
| Q90 | Down's syndrome | - | 4 | - | 2 | 6 | 6 | 2 | - | 2 | 10 |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | 4 | 4 |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | 2 | - | - | - | 2 | 2 | - | - | - | 2 |

Congenital anomalies in Zlinsky region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | - | - | 2 | - | 2 |
| Q01 | Encephalocele | - | - | - | - | - | - | 2 | - | 2 | |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | |
| Q03 | Congenital hydrocephalus | 2 | 2 | - | - | 4 | - | 2 | - | 2 | |
| Q05 | Spina bifida | 2 | - | - | - | 2 | - | - | - | - | |
| Q11.0-2 | Anophthalmos, Microphthalmos | 2 | - | - | - | 2 | - | - | - | - | |
| Q17.2 | Microtia | - | - | - | - | - | - | - | 2 | 2 | |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | |
| Q21.3 | Tetralogy of Fallot | - | - | - | 2 | 2 | - | - | 2 | 2 | |
| Q23.4 | Hypopl. left heart syndrome | - | 2 | - | - | 2 | - | 2 | - | 2 | |
| Q25.1 | Coarctation of aorta | - | 2 | - | 2 | 4 | 2 | - | - | 2 | |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | 4 | 4 | 2 | - | - | 2 | |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | |
| Q35 | Cleft palate | 2 | 2 | 2 | 4 | 10 | - | - | 10 | 12 | |
| Q36 | Cleft lip | - | - | - | - | - | 2 | - | 2 | 6 | |
| Q37 | Cleft palate with Cleft lip | 2 | - | - | 2 | 4 | - | - | 2 | 2 | |
| Q39 | Cong. malform. of oesophagus | 2 | - | - | - | 2 | 4 | - | - | 4 | |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | 4 | 4 | |
| Q42.0-3 | Anorectal atresia | - | 2 | - | - | 2 | - | 4 | - | 4 | |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | |
| Q54 | Hypospadias | 2 | 10 | 8 | - | 20 | 2 | 4 | 12 | 22 | |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | 2 | |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | |
| Q61 | Cystic kidney disease | - | - | 2 | - | 2 | - | 2 | - | 2 | |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | - | - | 2 | 4 | |
| Q69 | Polydactyly | 2 | - | 6 | 4 | 12 | 2 | - | 2 | 8 | |
| Q70 | Syndactyly | - | - | - | 2 | 2 | - | 2 | 2 | 8 | |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | 4 | - | - | 4 | - | - | - | - | |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | 2 | 2 | - | - | - | - | |
| Q79.1 | Other cong. malf. of diaphragm | - | - | - | - | - | - | - | - | - | |
| Q79.2 | Omphalocele | 2 | - | 2 | - | 4 | - | 2 | 2 | 4 | |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | - | 2 | |
| Q90 | Down's syndrome | 2 | 2 | - | - | 4 | - | 2 | 2 | 4 | |
| Q91.0-3 | Edwards' syndrome | - | - | - | - | - | - | - | - | - | |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | |

Congenital anomalies in Zlinsky region, 1998 - 1999, fetuses, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|---|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total | |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | 2 | - | - | - | - | 2 |
| Q01 | Encephalocele | - | - | - | 2 | 2 | - | - | - | - | - | - |
| Q02 | Microcephaly | - | - | - | - | - | 2 | - | - | - | - | 2 |
| Q03 | Congenital hydrocephalus | - | - | - | - | - | - | - | - | - | - | - |
| Q05 | Spina bifida | - | 2 | - | - | 2 | - | - | 4 | - | - | 4 |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | - | - | - | - |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | - | - | - | - | - | - |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | 2 | - | - | - | - | 2 |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | - | - | - | - | - | - | - | - | - | - |
| Q35 | Cleft palate | - | - | - | - | - | - | - | - | - | - | - |
| Q36 | Cleft lip | - | - | - | - | - | - | - | - | - | - | - |
| Q37 | Cleft palate with Cleft lip | - | - | - | - | - | - | - | - | - | - | - |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | - | - |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | - | - | - |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | - | - |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | - | - |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | - | - | - | - | - |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | - | - |
| Q61 | Cystic kidney disease | - | - | - | - | - | - | - | - | - | - | - |
| Q63,Q64 | Other cong. malf. of UT | - | - | - | - | - | - | - | - | - | - | - |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | - | - |
| Q70 | Syndactyly | - | - | - | - | - | - | - | - | - | - | - |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | - | 2 | 2 | - | - | - | - | - | - |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | 2 | - | - | - | 2 |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | - | - | - | - | - | - | - | - |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | - | - |
| Q79.3 | Gastroschisis | 2 | - | - | - | 2 | - | - | - | - | - | - |
| Q90 | Down's syndrome | 2 | 2 | - | 2 | 6 | 6 | - | - | 2 | - | 8 |
| Q91.0-3 | Edwards' syndrome | 2 | - | - | - | 2 | 2 | - | - | - | - | 2 |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | - | - | - | - | - | - | - | - | - | - | - |

Congenital anomalies in Moravskoslezsky region, 1998 - 1999, children, total number

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | - | - | - | - | 2 | - | - | - | 2 |
| Q01 | Encephalocele | - | - | - | - | - | - | - | 2 | - | 2 |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | - |
| Q03 | Congenital hydrocephalus | 6 | 4 | 6 | - | 16 | 2 | 2 | - | - | 4 |
| Q05 | Spina bifida | - | - | 2 | 2 | 4 | - | - | 2 | 2 | 4 |
| Q11.0-2 | Anophthalmos, Microphthalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | 4 | 4 | 4 | 2 | 14 | 2 | - | - | - | 2 |
| Q21.3 | Tetralogy of Fallot | - | 4 | - | - | 4 | 2 | 4 | - | 4 | 10 |
| Q23.4 | Hypopl. left heart syndrome | 4 | - | 2 | 4 | 10 | 2 | 2 | 4 | - | 8 |
| Q25.1 | Coarctation of aorta | 2 | - | 14 | - | 16 | 4 | - | - | 6 | 10 |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | 2 | - | - | 2 | 4 | - | - | - | - | - |
| Q35 | Cleft palate | 2 | - | 2 | 2 | 6 | - | 4 | 4 | 2 | 10 |
| Q36 | Cleft lip | - | 2 | 4 | - | 6 | - | 2 | 2 | 2 | 6 |
| Q37 | Cleft palate with Cleft lip | 4 | 2 | 2 | 2 | 10 | 4 | - | 4 | 4 | 12 |
| Q39 | Cong. malform. of oesophagus | - | 2 | - | 2 | 4 | - | - | - | 4 | 4 |
| Q41 | Cong. abs., atr., sten. of s. int. | - | 2 | 4 | 2 | 8 | - | - | - | 4 | 4 |
| Q42.0-3 | Anorectal atresia | 6 | - | - | 4 | 10 | - | 2 | 6 | - | 8 |
| Q42.8-9 | Atresia of large intestine | 2 | - | - | - | 2 | - | - | 2 | 4 | 6 |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | 2 | 2 |
| Q54 | Hypospadias | 8 | 10 | 2 | 8 | 28 | 14 | 12 | 10 | 12 | 48 |
| Q60.0-2 | Renal agenesis | 4 | 4 | 2 | 2 | 12 | - | - | 2 | 4 | 6 |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | 2 | - | - | - | 2 |
| Q61 | Cystic kidney disease | 2 | 2 | 2 | 4 | 10 | 6 | - | - | 2 | 8 |
| Q63,Q64 | Other cong. malf. of UT | 2 | - | 2 | 2 | 6 | 6 | - | - | 2 | 8 |
| Q69 | Polydactyly | 4 | 8 | 2 | - | 14 | 8 | 8 | 6 | 6 | 28 |
| Q70 | Syndactyly | 8 | 2 | 6 | - | 16 | - | 4 | 2 | - | 6 |
| Q71,Q72,Q73 | Reduct. defects of extremities | 6 | - | 2 | - | 8 | 2 | - | 4 | - | 6 |
| Q77 | Osteochondrodysplasia | 2 | - | - | - | 2 | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | - | - | - |
| Q79.0 | Cong. diaphragmatic hernia | 4 | - | 2 | - | 6 | - | - | - | 2 | 2 |
| Q79.1 | Other cong. malf. of diaphragm | - | 2 | - | - | 2 | - | - | - | - | - |
| Q79.2 | Omphalocele | - | - | - | - | - | - | - | - | - | - |
| Q79.3 | Gastroschisis | 2 | - | - | - | 2 | - | - | - | - | - |
| Q90 | Down's syndrome | 8 | 2 | 2 | 2 | 14 | 4 | 4 | 2 | 2 | 12 |
| Q91.0-3 | Edwards' syndrome | - | 4 | - | 2 | 6 | - | - | 2 | - | 2 |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | - | - |
| Q96 | Turner's syndrome | 2 | - | 2 | - | 4 | - | - | - | - | - |

Vrozené vady v Moravskoslezském kraji, rok 1998 a 1999, plody, absolutní počty

| MKN - X | Diagnosis: | 1998 | | | | | 1999 | | | | |
|-------------|------------------------------------|------|-----|------|-----|-------|------|-----|------|-----|-------|
| | | I. | II. | III. | IV. | total | I. | II. | III. | IV. | total |
| Q00.0-1 | Anencephaly, Craniorachischisis | - | 2 | 2 | - | 4 | - | - | - | - | - |
| Q01 | Encephalocele | - | - | 2 | - | 2 | - | 2 | - | - | 2 |
| Q02 | Microcephaly | - | - | - | - | - | - | - | - | - | - |
| Q03 | Congenital hydrocephalus | - | 6 | - | 2 | 8 | 2 | 2 | - | - | 4 |
| Q05 | Spina bifida | - | 2 | - | 2 | 4 | - | 4 | - | - | 4 |
| Q11.0-2 | Anophtalmos, Microphtalmos | - | - | - | - | - | - | - | - | - | - |
| Q17.2 | Microtia | - | - | - | - | - | - | - | - | - | - |
| Q20.3,Q20.5 | Transposition of great vessels | - | - | - | - | - | - | - | - | - | - |
| Q21.3 | Tetralogy of Fallot | - | - | - | - | - | - | - | 2 | - | 2 |
| Q23.4 | Hypopl. left heart syndrome | - | - | - | - | - | 2 | - | - | - | 2 |
| Q25.1 | Coarctation of aorta | - | - | - | - | - | - | - | - | - | - |
| Q26.2-4 | Anom. pulm. venous connection | - | - | - | - | - | - | - | - | - | - |
| Q33.3,Q33.6 | Agenesis / hypoplasia of lung | - | 2 | - | 2 | 4 | - | - | - | - | - |
| Q35 | Cleft palate | - | - | - | - | - | - | - | - | - | - |
| Q36 | Cleft lip | - | - | - | - | - | - | - | 2 | - | 2 |
| Q37 | Cleft palate with Cleft lip | - | - | - | - | - | - | - | - | - | - |
| Q39 | Cong. malform. of oesophagus | - | - | - | - | - | - | - | - | - | - |
| Q41 | Cong. abs., atr., sten. of s. int. | - | - | - | - | - | - | - | - | - | - |
| Q42.0-3 | Anorectal atresia | - | - | - | - | - | - | - | - | - | - |
| Q42.8-9 | Atresia of large intestine | - | - | - | - | - | - | - | - | - | - |
| Q44.2 | Atresia of bile ducts | - | - | - | - | - | - | - | - | - | - |
| Q54 | Hypospadias | - | - | - | - | - | - | - | - | - | - |
| Q60.0-2 | Renal agenesis | - | - | - | - | - | - | 2 | 2 | - | 4 |
| Q60.3-6 | Renal hypoplasia | - | - | - | - | - | - | - | - | - | - |
| Q61 | Cystic kidney disease | - | - | 2 | - | 2 | - | - | - | - | - |
| Q63,Q64 | Other cong. malf. of UT | - | 2 | - | - | 2 | 2 | - | - | - | 2 |
| Q69 | Polydactyly | - | - | - | - | - | - | - | - | - | - |
| Q70 | Syndactyly | - | - | - | - | - | - | 2 | - | - | 2 |
| Q71,Q72,Q73 | Reduct. defects of extremities | - | - | - | - | - | - | - | 2 | - | 2 |
| Q77 | Osteochondrodysplasia | - | - | - | - | - | - | - | - | - | - |
| Q78 | Other osteochondrodysplasias | - | - | - | - | - | - | - | 2 | - | 2 |
| Q79.0 | Cong. diaphragmatic hernia | - | - | - | 2 | 2 | - | - | - | - | - |
| Q79.1 | Other cong. malf.of diaphragm | - | - | - | - | - | - | - | 2 | - | 2 |
| Q79.2 | Omphalocele | - | - | - | 2 | 2 | - | 4 | 6 | 2 | 12 |
| Q79.3 | Gastroschisis | - | - | - | - | - | - | - | 4 | - | 4 |
| Q90 | Down's syndrome | 8 | 4 | - | 8 | 20 | 6 | 10 | 4 | 4 | 24 |
| Q91.0-3 | Edwards' syndrome | - | - | - | 4 | 4 | - | - | - | - | - |
| Q91.4-7 | Patau's syndrome | - | - | - | - | - | - | - | - | 4 | 4 |
| Q96 | Turner's syndrome | - | 2 | - | - | 2 | - | - | - | - | - |